

Title (en)
Coaxial lever escapement

Title (de)
Koaxiale Ankerhemmung

Title (fr)
Echappement coaxial à ancre

Publication
EP 1045297 B1 20030702 (FR)

Application
EP 99107164 A 19990412

Priority
EP 99107164 A 19990412

Abstract (en)
[origin: EP1045297A1] Coaxial release anchor (1) has first (12) and second (13) rest blades. Each blade is made from a single stone and engages in groove (14) machined in the anchor. Each blade stone rises above the level of the release anchor (1) so that it meshes in the te (8) of a second release wheel (3). The anchor itself is in the same plane as first release wheel (1).

IPC 1-7
G04B 15/08; G04B 15/14; G04B 15/06

IPC 8 full level
G04B 15/08 (2006.01); **G04B 15/14** (2006.01)

CPC (source: EP)
G04B 15/08 (2013.01); **G04B 15/14** (2013.01)

Cited by
EP3901707A1; EP1517197A1; EP1445669A1; EP1998236A1; EP1983388A1; EP1983390A1; EP3557334A1; US2021149342A1; EP1914605A1; CN107924157A; EP3321747A4; US7607822B2; US6997602B2; US10534319B2; US8757869B2; RU2765767C1; WO2019201976A1; WO2008145539A1; WO2004008258A3; WO2011121432A1; EP2400351A1; US8439557B2; US7661874B2; US8308346B2; US7604395B2; WO2016113704A2; US7708455B2; EP2595005A1; WO2013072158A1; DE212012000207U1; US7553068B2; US11796962B2

Designated contracting state (EPC)
CH DE FR GB IT LI

DOCDB simple family (publication)
EP 1045297 A1 20001018; EP 1045297 B1 20030702; CN 1188754 C 20050209; CN 1270331 A 20001018; DE 69909236 D1 20030807; DE 69909236 T2 20040422; HK 1032120 A1 20010706; JP 2000304874 A 20001102

DOCDB simple family (application)
EP 99107164 A 19990412; CN 00106710 A 20000412; DE 69909236 T 19990412; HK 01102665 A 20010412; JP 2000109192 A 20000411