

Title (en)

METHOD AND DEVICE FOR REDUCING SLIP AFTER CHANGING A FLYING REEL

Title (de)

VERFAHREN UND VORRICHTUNG ZUM KÜRZEN DER FAHNE IM ANSCHLUSS AN EINEN FLIEGENDEN ROLLENWECHSEL

Title (fr)

PROCEDE ET DISPOSITIF POUR REDUIRE LE DRAPEAU SUITE A UN CHANGEMENT DE ROULEAU EN DEFILEMENT

Publication

EP 1053197 B1 20020102 (DE)

Application

EP 99907406 A 19990123

Priority

- DE 19804415 A 19980205
- EP 9900436 W 19990123

Abstract (en)

[origin: DE19804415C1] When changing a flying reel, a slip occurs at the junction point that may induce problems in a downstream-mounted processing station. According to the present invention, the paper web (1) is guided by a deflection roller (3) so that the slip (2) is located on the outer face and extends radially under the action of the centrifugal force while being optionally supported by air ejected from blowing nozzles (8, 9). The slip is then cut with a blade (7) located in the vicinity of the outer surface of the deflection roller (3) so that only an insignificant length of a few millimetres remains.

IPC 1-7

B65H 19/10; **B65H 19/20**

IPC 8 full level

B65H 19/10 (2006.01); **B65H 19/20** (2006.01)

CPC (source: EP US)

B65H 19/107 (2013.01 - EP US); **B65H 2301/46152** (2013.01 - EP US)

Designated contracting state (EPC)

DE ES FR GB IT NL SE

DOCDB simple family (publication)

DE 19804415 C1 19990826; CA 2319410 A1 19990812; DE 59900714 D1 20020228; EP 1053197 A1 20001122; EP 1053197 B1 20020102; ES 2169945 T3 20020716; JP 2002502787 A 20020129; JP 3418176 B2 20030616; US 6547179 B1 20030415; WO 9940004 A1 19990812

DOCDB simple family (application)

DE 19804415 A 19980205; CA 2319410 A 19990123; DE 59900714 T 19990123; EP 9900436 W 19990123; EP 99907406 A 19990123; ES 99907406 T 19990123; JP 2000530444 A 19990123; US 60157900 A 20000802