

Title (en)
ELECTRICAL FAULT DETECTION SYSTEM

Title (de)
ELEKTRISCHER FEHLERDETEKTOR

Title (fr)
SYSTEME DE DETECTION DE PANNES ELECTRIQUES

Publication
EP 1057232 A1 20001206 (EN)

Application
EP 99905509 A 19990127

Priority
• US 9901801 W 19990127
• US 2619398 A 19980219

Abstract (en)
[origin: WO9943065A1] An electrical fault detector system (10) detects (16) electrical faults in an electrical distribution system by monitoring one or more conductors (14, 18) and producing an input signal representing one or more electrical signal conditions in the circuit to be monitored. This input signal is processed to develop a first signal representing the electrical current flow through the monitored circuit and a second signal representing signal components in a selected frequency range typical of arcing faults, and which exceed a predetermined threshold. The system also detects (20) ground faults in the circuit being monitored.

IPC 1-7
H02H 3/00; H02H 3/16; H02H 3/26; H02H 3/32; H02H 9/08; H02H 1/00; H02H 1/06

IPC 8 full level
H01H 71/12 (2006.01); **H01R 4/36** (2006.01); **H02H 1/00** (2006.01); **H01R 11/26** (2006.01); **H02H 1/06** (2006.01); **H02H 3/10** (2006.01); **H02H 3/44** (2006.01)

CPC (source: EP US)
H01H 71/125 (2013.01 - EP US); **H02H 1/0015** (2013.01 - EP US); **H01H 2083/201** (2013.01 - EP US); **H02H 1/06** (2013.01 - EP US); **H02H 3/105** (2013.01 - EP US); **H02H 3/44** (2013.01 - EP US)

Designated contracting state (EPC)
DE FR GB

DOCDB simple family (publication)
WO 9943065 A1 19990826; AU 2565499 A 19990906; CA 2320859 A1 19990826; CA 2320859 C 20050802; EP 1057232 A1 20001206; EP 1057232 A4 20050615; MY 122232 A 20060331; TW 423191 B 20010221; US 6246556 B1 20010612

DOCDB simple family (application)
US 9901801 W 19990127; AU 2565499 A 19990127; CA 2320859 A 19990127; EP 99905509 A 19990127; MY PI9900494 A 19990212; TW 88102435 A 19990219; US 2619398 A 19980219