

Title (en)

Regulating valve for variable displacement swash plate compressor and its assembly method

Title (de)

Regelventil für Taumelscheibenkompressor mit veränderlicher Förderleistung und Verfahren für den Zusammenbau

Title (fr)

Soupape de régulation pour compresseur à plateau en biais à capacité variable et méthode pour son assemblage

Publication

EP 1061257 A1 20001220 (EN)

Application

EP 99111549 A 19990615

Priority

EP 99111549 A 19990615

Abstract (en)

A pressure adjusting valve (1) for a variable capacity compressor comprising a main body portion provided with a lower lid (20), a spring case provided with an upper lid (10), and a diaphragm (11) held between the upper lid and the lower lid. The upper lid and lower lid are hermetically connected with each other through caulking and soldering. Alternatively, the upper lid and the lower lid are hermetically connected with each other by means of an electron beam welding. <IMAGE>

IPC 1-7

F04B 27/18

IPC 8 full level

F04B 27/18 (2006.01)

CPC (source: EP)

F04B 27/1804 (2013.01); **F04B 2027/1813** (2013.01); **F04B 2027/1831** (2013.01); **F04B 2027/185** (2013.01)

Citation (applicant)

JP S5039876 A 19750412

Citation (search report)

- [XY] US 5799499 A 19980901 - YANO MASAMICHI [JP], et al
- [Y] US 4723891 A 19880209 - TAKENAKA KENJI [JP], et al
- [Y] US 4585174 A 19860429 - KNAPP HEINRICH [DE]
- [Y] US 5620310 A 19970415 - TAKENAKA KENJI [JP], et al
- [Y] EP 0537776 A1 19930421 - EATON CORP [US]
- [A] EP 0748936 A1 19961218 - CALSONIC CORP [JP]
- [A] US 5245753 A 19930921 - AKIKUSA HIROSHI [JP], et al
- [A] US 5680703 A 19971028 - ONO TOMOHIRO [JP], et al
- [A] US 4924905 A 19900515 - MASTROMATTEO MICHAEL [US]

Cited by

FR2836521A1; CN100441876C; EP1520987A1; EP1420162A3

Designated contracting state (EPC)

DE ES FR GB IT NL

DOCDB simple family (publication)

EP 1061257 A1 20001220; **EP 1061257 B1 20050126**; DE 69923437 D1 20050303; DE 69923437 T2 20060330

DOCDB simple family (application)

EP 99111549 A 19990615; DE 69923437 T 19990615