

Title (en)  
TAPE SERVO PATTERN WITH ENHANCED SYNCHRONIZATION PROPERTIES

Title (de)  
BAND-SERVOMUSTER MIT VERBESSERTEN SYNCHRONISATIONSEIGENSCHAFTEN

Title (fr)  
STRUCTURE DE POSITIONNEUR A BANDE MAGNETIQUE AYANT DES PROPRIETES AMELIOREES DE SYNCHRONISATION

Publication  
**EP 1075694 A1 20010214 (EN)**

Application  
**EP 98913303 A 19980330**

Priority  
US 9806259 W 19980330

Abstract (en)  
[origin: WO9950840A1] A magnetic tape servo pattern with different frequency signals is written on a magnetic tape to define the frame boundary. A significantly different frequency field is used to signal the transition from one frame to the next. Servo stripes (13) are written onto tape (11). A first frequency signal is written on a first area (27) and a second frequency signal is written on a second area (28). The first and second frequency signals are alternately written onto servo stripe in successive frames (14, 15). A third frequency signal is written in a predetermined band pattern in each frame over the second area.

IPC 1-7  
**G11B 5/596**; **G11B 5/09**

IPC 8 full level  
**G11B 5/09** (2006.01); **G11B 5/584** (2006.01); **G11B 27/30** (2006.01)

CPC (source: EP)  
**G11B 5/584** (2013.01); **G11B 27/30** (2013.01); **G11B 2220/90** (2013.01)

Designated contracting state (EPC)  
DE

DOCDB simple family (publication)  
**WO 9950840 A1 19991007**; EP 1075694 A1 20010214; EP 1075694 A4 20020417; EP 1271477 A1 20030102; EP 1271477 B1 20060301;  
JP 2002510114 A 20020402

DOCDB simple family (application)  
**US 9806259 W 19980330**; EP 02015237 A 19980330; EP 98913303 A 19980330; JP 2000541677 A 19980330