

Title (en)
Variable inductance element

Title (de)
Variables induktives Element

Title (fr)
Élément inductif variable

Publication
EP 1076345 A3 20010307 (EN)

Application
EP 00402278 A 20000811

Priority
JP 22887999 A 19990812

Abstract (en)
[origin: EP1076345A2] A meandering inductor pattern (4) is formed on the upper surface of an insulating substrate (1). The inductor pattern (4) is formed by irradiating a conductor pattern (2) with a laser beam to form U-shaped trimming grooves (10) in the conductor pattern (2) in such a manner that two island-shape rectangular sections (3) are separated from the conductor pattern. <IMAGE>

IPC 1-7
H01F 41/04; **H01F 17/00**; **H01F 21/00**

IPC 8 full level
H01F 38/08 (2006.01); **H01F 17/00** (2006.01); **H01F 21/00** (2006.01); **H01F 41/04** (2006.01)

CPC (source: EP KR)
H01F 17/0006 (2013.01 - EP); **H01F 38/08** (2013.01 - KR); **H01F 41/045** (2013.01 - EP); **H01F 21/00** (2013.01 - EP);
H01F 2017/0073 (2013.01 - EP); **H01F 2021/125** (2013.01 - EP)

Citation (search report)
[A] PATENT ABSTRACTS OF JAPAN vol. 005, no. 070 (E - 056) 12 May 1981 (1981-05-12)

Cited by
GB2360136A; GB2360136B

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
EP 1076345 A2 20010214; **EP 1076345 A3 20010307**; JP 2001052927 A 20010223; KR 100370513 B1 20030129; KR 20010021286 A 20010315;
TW 451229 B 20010821

DOCDB simple family (application)
EP 00402278 A 20000811; JP 22887999 A 19990812; KR 20000046775 A 20000812; TW 89115116 A 20000728