

Title (en)
AN EXPLOSION-PROOF LIGHTING FITTING OF A HIGH SAFETY CLASS

Title (de)
EXPLOSIONSGESCHÜTZTE LEUCHE MIT EINER HOHEN SICHERHEITSKLASSE

Title (fr)
APPAREIL D'ECLAIRAGE ANTIDÉFLAGRANT DE TYPE SÉCURITÉ

Publication
EP 1078202 A1 20010228 (EN)

Application
EP 99922652 A 19990512

Priority
• NL 9900293 W 19990512
• NL 1009187 A 19980518

Abstract (en)
[origin: WO9960304A1] The present invention relates to an explosion-proof lighting fitting comprising a branch box (7), a mounting element (13), a light-transmitting screen (1) and a housing (14, 15) which accommodates the lamp (2) and the required electronic components (12), which explosion-proof lighting fitting is characterized in that the lamp (2) is placed on a baseplate (3) within the housing (14, 15), which baseplate (3) functions to dissipate the heat generated by the lamp, and that a heating element (17) is provided in the space enclosed by the housing.

IPC 1-7
F21V 25/12; **F21V 29/00**

IPC 8 full level
F21V 15/01 (2006.01); **F21V 23/02** (2006.01); **F21V 25/12** (2006.01); **F21V 29/00** (2006.01)

CPC (source: EP US)
F21V 15/01 (2013.01 - EP); **F21V 23/02** (2013.01 - EP); **F21V 25/12** (2013.01 - EP US); **F21V 29/70** (2015.01 - US); **F21V 29/85** (2015.01 - EP); **F21V 29/90** (2015.01 - US); **F21V 31/04** (2013.01 - EP)

Citation (search report)
See references of WO 9960304A1

Citation (third parties)
Third party :
KODAK: "INSTRUCTION MANUAL 'KODASLIDE' PROJECTOR MODEL 5", KODAK LIMITED, LONDON, pages: 3 - 15, XP002959729

Cited by
RU168857U1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
WO 9960304 A1 19991125; AT E260439 T1 20040315; AU 3960299 A 19991206; DE 69915053 D1 20040401; DE 69915053 T2 20041209; EP 1078202 A1 20010228; EP 1078202 B1 20040225; NL 1009187 C2 19991119

DOCDB simple family (application)
NL 9900293 W 19990512; AT 99922652 T 19990512; AU 3960299 A 19990512; DE 69915053 T 19990512; EP 99922652 A 19990512; NL 1009187 A 19980518