

Title (en)
CRACK DETECTING ARRANGEMENT WHICH IS ESPECIALLY USED AFTER THE DYE-PENETRATION METHOD OR MAGNETIC METHOD

Title (de)
RISSPRÜFANLAGE, INSBESONDERE NACH DEM FARBEINDRINGVERFAHREN ODER MAGNETISCHEN VERFAHREN

Title (fr)
DISPOSITIF DE DETECTION DE FISSURES EN PARTICULIER APRES UN PROCEDE DE PENETRATION DE COLORANT OU UN PROCEDE MAGNETIQUE

Publication
EP 1082605 A1 20010314 (DE)

Application
EP 00908989 A 20000204

Priority
• DE 0000352 W 20000204
• DE 29902218 U 19990208

Abstract (en)
[origin: WO0047982A1] The invention relates to a crack detecting arrangement which is used after the dye-penetration method or for magnetic crack testing of a workpiece (10). Said arrangement comprises lighting equipment (11), a device for applying the test piece (13) and an evaluation station (14). The light-emitting diodes (LED) are the lighting equipment in said arrangement.

IPC 1-7
G01N 21/91

IPC 8 full level
G01N 21/91 (2006.01)

CPC (source: EP KR US)
G01N 21/91 (2013.01 - EP KR US)

Citation (search report)
See references of WO 0047982A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)
DE 29902218 U1 19990624; CN 1293759 A 20010502; EP 1082605 A1 20010314; KR 20010042584 A 20010525; US 6626047 B1 20030930; WO 0047982 A1 20000817

DOCDB simple family (application)
DE 29902218 U 19990208; CN 00800120 A 20000204; DE 0000352 W 20000204; EP 00908989 A 20000204; KR 20007011254 A 20001009; US 64731500 A 20000928