

Title (en)

Device and method for dampening a component in a printing machine

Title (de)

Vorrichtung und Verfahren zum Befeuchten eines Bauteils in einer Druckmaschine

Title (fr)

Dispositif et procédé de mouillage d'un composant dans une machine d'impression

Publication

EP 1097812 B1 20061129 (DE)

Application

EP 00121915 A 20001007

Priority

US 43316099 A 19991103

Abstract (en)

[origin: EP1097812A2] The humidifier comprises a pressure chamber (4) containing humidifying agent. At least one jet-screen (3) in the form of an especially micro-nozzle, produces a continuous jet of humidifying agent (S) directed at the component. The screen is connected to the pressure chamber. The at least one control valve (6) controlled by a control unit, regulates the pressure of the humidifying agent in the at least one pressure chamber. A monitor unit monitors the pressure of the humidifying agent.

IPC 8 full level

B41F 7/30 (2006.01); **B41F 33/10** (2006.01)

CPC (source: EP US)

B41F 7/30 (2013.01 - EP US)

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

EP 1097812 A2 20010509; EP 1097812 A3 20020522; EP 1097812 B1 20061129; AT E346747 T1 20061215; DE 10050255 A1 20010712; DE 50013808 D1 20070111; JP 2001162763 A 20010619; JP 4755332 B2 20110824; US 6561090 B1 20030513

DOCDB simple family (application)

EP 00121915 A 20001007; AT 00121915 T 20001007; DE 10050255 A 20001011; DE 50013808 T 20001007; JP 2000336503 A 20001102; US 43316099 A 19991103