

Title (en)

Means for assuring the continuity of safety barriers for motorway guard-rails

Title (de)

Vorrichtung zur Erhaltung der Kontinuität von Elementen für Strassenleitplanken

Title (fr)

Dispositif pour mise en continuité d'éléments de barrières de sécurité routière

Publication

EP 1106738 A3 20020918 (FR)

Application

EP 00420253 A 20001207

Priority

FR 9915379 A 19991207

Abstract (en)

[origin: EP1106738A2] The safety barrier consists of a series of separate concrete sections (1), each having one or more through channels to receive threaded reinforcing rods (2). The end surface (3) of each section is flat and lies perpendicular to its lengthwise axis, and each channel has a conical recess in the section end face to receive a conical thrust element and a bolt on the reinforcing rod while still allowing two end surfaces to fit perfectly together. Instead of a thrust element and nut the recess in a section end face can also be used to receive a continuation tube between sections. The reinforcing rods are tensioned by the nuts to hold a number of concrete sections together, and can be removed to allow the sections to be moved to another site. Depending on requirements the sections can be made from materials other than concrete, e.g. metal or plastic.

IPC 1-7

E01F 15/08; **E01F 15/02**

IPC 8 full level

E01F 15/08 (2006.01)

CPC (source: EP)

E01F 15/083 (2013.01); **E01F 15/088** (2013.01)

Citation (search report)

- [X] US 5685665 A 19971111 - LEMBO M CARL [US]
- [X] PATENT ABSTRACTS OF JAPAN vol. 1995, no. 05 30 June 1995 (1995-06-30)
- [PX] PATENT ABSTRACTS OF JAPAN vol. 2000, no. 12 3 January 2001 (2001-01-03)

Cited by

EP2905382A1; EP1293610A3; EP2063026A3; WO2020120820A1; US11773549B2; EP1722037B1

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)

EP 1106738 A2 20010613; **EP 1106738 A3 20020918**; FR 2801913 A1 20010608

DOCDB simple family (application)

EP 00420253 A 20001207; FR 9915379 A 19991207