

Title (en)

METHOD FOR MANUFACTURING OF A CATHODE SUSPENSION BAR

Title (de)

VERFAHREN ZUR HERSTELLUNG EINER KATHODENHÄNGESCHIENE

Title (fr)

PROCEDE DE FABRICATION D'UNE BARRE DE SUSPENSION POUR CATHODE

Publication

EP 1115911 A1 20010718 (EN)

Application

EP 99946213 A 19990923

Priority

- FI 9900782 W 19990923
- FI 982060 A 19980924

Abstract (en)

[origin: WO0017419A1] The present invention relates to a method for manufacturing a suspension bar for a permanent cathode used in the electrolysis of metals, wherein the suspension bar is formed of a rigid metal outer jacket and a highly conductive core attached inside it. By means of this connection, a tight contact is achieved between the outer jacket and the core and this connection is made by drawing, upsetting, melting or casting.

IPC 1-7

C25C 7/02

IPC 8 full level

B22D 19/00 (2006.01); **B21C 1/00** (2006.01); **C25C 7/02** (2006.01)

CPC (source: EP KR)

C25C 7/02 (2013.01 - EP KR)

Citation (search report)

See references of WO 0017419A1

Cited by

WO2013174843A1

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

WO 0017419 A1 20000330; AU 5866199 A 20000410; AU 762884 B2 20030710; BG 105354 A 20011130; BR 9913804 A 20010619;
CA 2344475 A1 20000330; CN 1186479 C 20050126; CN 1319147 A 20011024; EA 003342 B1 20030424; EA 200100374 A1 20010827;
EP 1115911 A1 20010718; FI 108546 B 20020215; FI 982060 A0 19980924; FI 982060 A 20000325; JP 2002526656 A 20020820;
KR 20010073186 A 20010731; PE 20001214 A1 20001030; PL 346874 A1 20020311; ZA 200102027 B 20010925

DOCDB simple family (application)

FI 9900782 W 19990923; AU 5866199 A 19990923; BG 10535401 A 20010316; BR 9913804 A 19990923; CA 2344475 A 19990923;
CN 99811329 A 19990923; EA 200100374 A 19990923; EP 99946213 A 19990923; FI 982060 A 19980924; JP 2000574314 A 19990923;
KR 20017003760 A 20010323; PE 00094599 A 19990917; PL 34687499 A 19990923; ZA 200102027 A 20010312