

Title (en)
Texturing nozzle

Title (de)
Texturierdüse

Title (fr)
Tuyère de texturation

Publication
EP 1116806 B1 20081105 (DE)

Application
EP 01890001 A 20010102

Priority
AT 372000 A 20000112

Abstract (en)
[origin: EP1116806A2] The jet unit, to texturize yarns, has a channel (6) between two base bodies (1), with at least one jet body (5) to feed a gas medium into it. The channel has at least one gas escape port (8). At least part-zones of the channel (6) are of a material with a higher resistance than the base bodies (1). The resistant material is ceramic, as an insert or attachment at the base bodies (1), which also incorporates the jet body (5). The insert has a spring fitting within the base bodies, with a cut-in or the like for the spring action. The channel (6) has a quadrilateral cross section at the gas escape (8), with perforated plates and the like on both sides of the channel (6) as gas escape windows, held in place by magnets at the base body (1). A shaped section (9) is at the outlet from the channel (6), to lead the texturized yarn directly to a cooling drum. The section (9) is a part of the texturizing jet or is connected to it.

IPC 8 full level
D02G 1/16 (2006.01); **D01H 1/115** (2006.01); **D02J 1/08** (2006.01)

CPC (source: EP US)
D02G 1/122 (2013.01 - EP US); **D02G 1/161** (2013.01 - EP US); **D02J 1/08** (2013.01 - EP US)

Cited by
EP1541727A1; DE102004043773A1; DE102014002318A1; US7260875B2; EP1404910B2

Designated contracting state (EPC)
AT CH DE IT LI

DOCDB simple family (publication)
EP 1116806 A2 20010718; EP 1116806 A3 20031001; EP 1116806 B1 20081105; AT 411467 B 20040126; AT A372000 A 20030615; AT E413481 T1 20081115; DE 50114456 D1 20081218; US 6308388 B1 20011030

DOCDB simple family (application)
EP 01890001 A 20010102; AT 01890001 T 20010102; AT 372000 A 20000112; DE 50114456 T 20010102; US 75338201 A 20010103