

Title (en)
Radiating coaxial high-frequency cable

Title (de)
Abstrahlendes koaxiales Hochfrequenzkabel

Title (fr)
Cable coaxial rayonnant haute fréquence

Publication
EP 1139491 A3 20040107 (DE)

Application
EP 01440058 A 20010308

Priority
DE 10015379 A 20000328

Abstract (en)
[origin: CA2342281A1] A radiating coaxial radio-frequency cable is specified, that comprises an inner conductor, a dielectric surrounding the latter and a tubular outer conductor disposed above the latter and concentric with the inner conductor. In the outer conductor, mutually separated openings (5) are provided that are disposed in a mutually offset manner in the circumferential direction of the cable and, in the longitudinal direction of the latter, are disposed along surface lines extending mutually in parallel in rows (R1, R2, R3) extending over the entire length of the cable. All the openings (5) extend essentially in the circumferential direction of the cable. For as broadband an operation of the cable as possible, in a first row (R1) for operating a frequency range used in mobile radio, openings (5) are disposed in groups (G) in a constantly repeating pattern whose first openings (5), viewed in each case in the axial direction of the cable, are at a mutual spacing (A1) corresponding to half the wavelength of the lowest frequency to be transmitted in the frequency range. In addition, in each group (G), further openings (5) are provided to take account of integral multiples of the lowest frequency to be transmitted in the frequency range. Further openings (5) are situated in at least one second row (R2) on a surface line other than that of the openings (5) of the first row (R1) and are disposed over the entire length of the cable at mutual constant spacing that is less than half the wavelength of the highest frequency to be transmitted over the cable.

IPC 1-7
H01Q 13/20

IPC 8 full level
H01Q 13/20 (2006.01)

CPC (source: EP US)
H01Q 13/203 (2013.01 - EP US)

Citation (search report)
• [X] US 4322699 A 19820330 - HILDEBRAND HELMUT, et al
• [A] US 5705967 A 19980106 - PIRARD WILLY [BE]
• [A] EP 0902499 A1 19990317 - CIT ALCATEL [FR]
• [X] PATENT ABSTRACTS OF JAPAN vol. 1998, no. 10 31 August 1998 (1998-08-31)

Cited by
FR2947587A1; EP2355246A1; WO2011001408A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
EP 1139491 A2 20011004; EP 1139491 A3 20040107; EP 1139491 B1 20050928; AT E305662 T1 20051015; AU 2649901 A 20011004; BR 0101159 A 20011030; CA 2342281 A1 20010928; CN 1229895 C 20051130; CN 1319919 A 20011031; DE 10015379 A1 20011004; DE 50107535 D1 20051103; ES 2248261 T3 20060316; US 2001054945 A1 20011227; US 6426685 B2 20020730

DOCDB simple family (application)
EP 01440058 A 20010308; AT 01440058 T 20010308; AU 2649901 A 20010313; BR 0101159 A 20010327; CA 2342281 A 20010326; CN 01111799 A 20010328; DE 10015379 A 20000328; DE 50107535 T 20010308; ES 01440058 T 20010308; US 81638201 A 20010326