

Title (en)  
HIGH STRENGTH SOFT MAGNETIC ALLOYS

Title (de)  
WEICHMAGNETISCHE LEGIERUNGEN MIT HOHER FESTIGKEIT

Title (fr)  
ALLIAGES MAGNETIQUES DOUX A HAUTE RESISTANCE

Publication  
**EP 1145259 A2 20011017 (EN)**

Application  
**EP 99934945 A 19990723**

Priority  
• GB 9902395 W 19990723  
• GB 9816232 A 19980724

Abstract (en)  
[origin: WO0005733A2] The invention provides a soft magnetic alloy consisting essentially of: 45 % to 55 % cobalt; 0.75 % to less than 1.5 % vanadium; 0.15 % to 0.5 % niobium or tantalum or mixtures thereof; 0 % to 0.3 % manganese; 0 % to 0.2 % silicon; 0 % to 0.1 % carbon; and the balance iron, all percentages being by weight based on the total weight of the alloy. The alloys can be used to manufacture both rotor and stator components of electrical machines. Control of heat treatment conditions allows outstanding mechanical and/or soft magnetic properties to be achieved.

IPC 1-7  
**H01F 1/147**; **C22C 19/07**; **C22C 38/10**; **H02K 1/02**

IPC 8 full level  
**C21D 6/00** (2006.01); **C22C 30/00** (2006.01); **H01F 1/147** (2006.01)

CPC (source: EP)  
**C21D 6/007** (2013.01); **C22C 30/00** (2013.01); **H01F 1/147** (2013.01)

Cited by  
US12116655B2; WO2018075882A1; US11827961B2; US9243304B2

Designated contracting state (EPC)  
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)  
**WO 0005733 A2 20000203**; **WO 0005733 A3 20021017**; AT E229223 T1 20021215; AU 5056299 A 20000214; DE 69904367 D1 20030116; DE 69904367 T2 20031009; EP 1145259 A2 20011017; EP 1145259 A3 20021218; EP 1145259 B1 20021204; ES 2189451 T3 20030701; GB 2339798 A 20000209; GB 2339798 B 20021211; GB 9816232 D0 19980923

DOCDB simple family (application)  
**GB 9902395 W 19990723**; AT 99934945 T 19990723; AU 5056299 A 19990723; DE 69904367 T 19990723; EP 99934945 A 19990723; ES 99934945 T 19990723; GB 9816232 A 19980724