

Title (en)

SKI GUIDE PRESSURE INTENSIFIER PLATE (SNOW-SPEED)

Title (de)

SKIFÜHRUNGSDRUCKVERSTÄRKER-PLATTE (SNOW-SPEED)

Title (fr)

PLAQUE DE RENFORCEMENT DE LA PRESSION SUR LA PARTIE DE GUIDAGE DU SKI

Publication

EP 1152806 A1 20011114 (DE)

Application

EP 00903483 A 20000223

Priority

- EP 00903483 A 20000223
- CH 0000097 W 20000223
- EP 99103597 A 19990224

Abstract (en)

[origin: EP1031360A1] The invention relates to a ski binding assembly plate which can be fixed or can be adjusted in terms of its forward inclination and height and which therefore makes it possible to increase the pressure on the front guiding part of the ski. The ski binding assembly plate is fixed on the ski by means of a two-point support and arrest system. As a result, the ski has a free bending moment and is therefore dynamic and runs very smoothly. A wedge function and a force transmission system prevent the ski from being propelled back by the counterpressure in the area of the ski binding. A damping system absorbs vibrations and knocks. The plate can be fitted with any brand of ski binding and fits any type or brand of ski. The possibility of adjusting the plate individually enables it to be adapted to suit any ski, skiing style or technical level of the skier.

IPC 1-7

A63C 9/00

IPC 8 full level

A63C 9/00 (2012.01)

CPC (source: EP US)

A63C 9/003 (2013.01 - EP US)

Cited by

WO2011120914A1

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

DOCDB simple family (publication)

EP 1031360 A1 20000830; AT E285823 T1 20050115; AU 2531500 A 20000914; CA 2363023 A1 20000831; CA 2363023 C 20080212; DE 50009110 D1 20050203; EP 1152806 A1 20011114; EP 1152806 B1 20041229; JP 2002537079 A 20021105; US 6648362 B1 20031118; WO 0050128 A1 20000831

DOCDB simple family (application)

EP 99103597 A 19990224; AT 00903483 T 20000223; AU 2531500 A 20000223; CA 2363023 A 20000223; CH 0000097 W 20000223; DE 50009110 T 20000223; EP 00903483 A 20000223; JP 2000600734 A 20000223; US 91427502 A 20020115