

Title (en)  
Method and device for dyeing textile materials

Title (de)  
Verfahren und Vorrichtung zum Färben von textilen Materialien

Title (fr)  
Procédé et dispositif pour la teinture des matières textiles

Publication  
**EP 1164214 A3 20020717 (DE)**

Application  
**EP 01111716 A 20010514**

Priority  
DE 10029780 A 20000616

Abstract (en)  
[origin: EP1164214A2] To dye textile materials the dyestuff is applied in a dyeing autoclave (7), where a portion of the dyestuff is pumped from the autoclave through a circuit (5) with an additional vessel (2) where it dwells for reaction chemicals to be added. The chemicals are added in dosages on entering the outflow (3) from the vessel, so that they are carried out by the dyestuff outflow. In the dyeing process of textile materials, the solid reaction chemicals are dissolved by the reaction with the dyestuff. The volume contained in the additional vessel is 1-10% of the volume held in the dyeing autoclave. The dyeing autoclave is held at a static pressure of at least 1 bar. An Independent claim is included for the container for dosing chemicals into the dyestuff flow with a feed channel, where its upper end can be accessed outside the vessel. The lower end of the feed channel is at the outflow opening (3) from the vessel. Preferred Features: The gap between the lower end of the feed channel and the vessel outflow is 1-10 mm and preferably about 25% of the outflow diameter, and it is adjustable. The outflow diameter is smaller than the diameter of the feed channel, at 15-25 mm and preferably 20 mm. At least one beating plate is fitted at the lower end of the feed channel, and the lower end of the channel is covered by a sieve mesh. The feed channel is vertically upright within the additional vessel, or it is pitched at an angle. The additional vessel has a diameter of at least 1.5 times the diameter of the feed channel. Spray rings are at the upper edge of the additional vessel and/or the feed channel, with openings towards the vessel walls or to the feed channel.

IPC 1-7  
**D06B 23/20**

IPC 8 full level  
**D06B 23/20** (2006.01)

CPC (source: EP)  
**D06B 23/205** (2013.01)

Citation (search report)

- [PXA] EP 1063338 A2 20001227 - AMANN & SOEHNE [DE]
- [A] DE 19631604 A1 19970424 - AMANN & SOEHNE [DE]
- [A] DE 1902006 A1 19700806
- [A] DE 19720528 A1 19981119 - GELHARD VOLKER DIPL ING DIPL W [DE]

Cited by  
ITMI20100304A1; CN103523732A; WO2011104665A1

Designated contracting state (EPC)  
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)  
**EP 1164214 A2 20011219; EP 1164214 A3 20020717; EP 1164214 B1 20041117**; AT E282731 T1 20041215; BR 0102320 A 20020723; DE 10029780 A1 20011220; DE 50104524 D1 20041223; ES 2231341 T3 20050516; MX PA01006026 A 20041110; PT 1164214 E 20050429; SI 1164214 T1 20050630

DOCDB simple family (application)  
**EP 01111716 A 20010514**; AT 01111716 T 20010514; BR 0102320 A 20010608; DE 10029780 A 20000616; DE 50104524 T 20010514; ES 01111716 T 20010514; MX PA01006026 A 20010614; PT 01111716 T 20010514; SI 200130278 T 20010514