

Title (en)
COMPONENT AND METHOD FOR GUIDING A HOT PRESSURIZED MEDIUM

Title (de)
BAUTEIL UND VERFAHREN ZUR FÜHRUNG EINES HEISSEN UND UNTER HOHEM DRUCK STEHENDEN MEDIUMS

Title (fr)
ELEMENT ET PROCEDE POUR CONDUIRE UN MILIEU CHAUD SOUMIS A UNE PRESSION ELEVEE

Publication
EP 1190160 A1 20020327 (DE)

Application
EP 00940412 A 20000628

Priority

- EP 00940412 A 20000628
- EP 0006031 W 20000628
- EP 99112453 A 19990630

Abstract (en)
[origin: WO0102702A1] The invention relates to a component for guiding a hot high-temperature medium (50) that is subjected to a high-temperature pressure. A low-temperature zone (56) of the component surrounds a high-temperature zone (54) in which the high-temperature medium (50) is guided. A low-temperature medium (61) is guided in the low-temperature area (56) at least at half the pressure, preferably at the same or a higher pressure than the high-temperature pressure. The invention provides a component and a method that relieves the separation wall (58) that separates the low-temperature zone (56) from the high-temperature zone (54) and thus on the whole allows the construction of components with comparatively small wall thicknesses.

IPC 1-7
F01D 9/06; **F22B 37/14**; **F16L 7/00**; **F16L 9/18**

IPC 8 full level
B01D 1/30 (2006.01); **F01D 9/06** (2006.01); **F01D 25/00** (2006.01); **F01D 25/26** (2006.01); **F01D 25/28** (2006.01); **F16L 7/00** (2006.01); **F16L 9/18** (2006.01); **F22B 37/10** (2006.01); **F22B 37/14** (2006.01); **F22B 37/20** (2006.01)

CPC (source: EP)
F01D 9/06 (2013.01); **F16L 7/00** (2013.01); **F16L 9/18** (2013.01); **F22B 37/14** (2013.01)

Citation (search report)
See references of WO 0102702A1

Designated contracting state (EPC)
CH DE FR GB IT LI

DOCDB simple family (publication)
WO 0102702 A1 20010111; CN 1365422 A 20020821; EP 1190160 A1 20020327; JP 2003503635 A 20030128

DOCDB simple family (application)
EP 0006031 W 20000628; CN 00810921 A 20000628; EP 00940412 A 20000628; JP 2001507913 A 20000628