

Title (en)

Waterproof transducer for half-wavelength array

Title (de)

Wasserdichter Wandler für Halbwellenwandleranordnung

Title (fr)

Transducteur étanche pour une array à demi-longueur d'onde

Publication

EP 1202249 A1 20020502 (EN)

Application

EP 00402981 A 20001026

Priority

EP 00402981 A 20001026

Abstract (en)

The ultrasonic transducer device (10) for a $\lambda/2$ ultrasonic sensor phased array comprises a rectangular housing having thin sidewalls (13), having a height h , and having a rectangular or elliptical membrane (12) attached to the upper extremities of the sidewalls, and having a longer side A and a shorter side a_1 , and a vibrator (11) attached to said membrane (12) for causing said membrane to vibrate. According to the present invention, the thickness e of the sidewalls fulfils the following equation $\frac{e}{a_1} = \frac{d_1 - a_1}{2a_1} \leq \frac{1}{8}$ with $d_1 \leq \lambda/2$, $\frac{h}{d_1} > 0.1$ $\times d_1 \leq h < 0.6 \times d_1$, with $d_1 = \lambda/2$ so as to avoid generation of parasitic flexural vibration of said sidewalls, and the longer side A has the following relation with the shorter side a_1 : $1.5 \times a_1 \leq A \leq 3 \times a_1$. The device is sensitive and robust and may be used for indoor and outdoor applications such as parking-aid systems for vehicles. <IMAGE>

IPC 1-7

G10K 11/00; **G10K 13/00**; **G10K 9/125**

IPC 8 full level

G10K 9/125 (2006.01); **G10K 11/00** (2006.01); **G10K 13/00** (2006.01)

CPC (source: EP)

G10K 9/125 (2013.01); **G10K 11/004** (2013.01); **G10K 13/00** (2013.01)

Citation (search report)

- [A] WO 9202795 A2 19920220 - BOSCH GMBH ROBERT [DE]
- [A] US 3492633 A 19700127 - MASSA FRANK
- [A] DE 1183287 B 19641210 - AEROPROJECTS INC
- [A] EP 0075302 A1 19830330 - GELHARD EGON

Cited by

DE102006008476A1; US7551520B2; WO2005064589A1; WO2005024451A3

Designated contracting state (EPC)

FR

DOCDB simple family (publication)

EP 1202249 A1 20020502

DOCDB simple family (application)

EP 00402981 A 20001026