

Title (en)

Serrure electromotorique

Title (de)

Elektromotorisch angetriebener Verschluss

Title (fr)

Electromotorically driven lock

Publication

EP 1213425 B1 20060906 (DE)

Application

EP 01127311 A 20011119

Priority

DE 10061365 A 20001209

Abstract (en)

[origin: EP1213425A1] The push rod (2) moves behind the faceplate (1) of the lock. The electric motor (4) in the main lock drives bevel gears (13,14) and pinions which form a reduction gear train (5). The last gear carries a laterally-projecting peg (11) which engages in an arcuate slit (10) in a wheel (6) which engages a rack (7). The rack may be connected to the push rod.

IPC 8 full level

E05C 9/02 (2006.01); **E05B 65/10** (2006.01); **E05B 47/00** (2006.01)

CPC (source: EP)

E05B 65/1086 (2013.01); **E05C 9/021** (2013.01); **E05B 47/0012** (2013.01); **E05B 2047/0016** (2013.01); **E05B 2047/002** (2013.01);
E05B 2047/0026 (2013.01); **E05B 2047/0068** (2013.01); **E05B 2047/0069** (2013.01)

Cited by

EP1544390A3; EP1460215A3; EP1464781A3; DE10308243B4; EP1452675A3; SE544380C2; SE2051322A1; SE544908C2; WO2008099261A1;
EP3372760B1; EP2525025B1; EP2236714B1

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)

EP 1213425 A1 20020612; EP 1213425 B1 20060906; AT E338870 T1 20060915; DE 10061365 A1 20020613; DE 50110930 D1 20061019

DOCDB simple family (application)

EP 01127311 A 20011119; AT 01127311 T 20011119; DE 10061365 A 20001209; DE 50110930 T 20011119