

Title (en)
A fluid flow control valve

Title (de)
Reguliventil

Title (fr)
Clapet de régulation

Publication
EP 1223317 A2 20020717 (EN)

Application
EP 01310495 A 20011215

Priority
GB 0101096 A 20010116

Abstract (en)
A fluid flow control valve (60) comprises a valve seat (62) and a valve stem (64) which is movable towards or away from the valve seat (62) to control the fluid flow through the valve (60). A magnetostrictive element (66) is arranged to move the valve stem (64) towards the valve seat (62) and a spring (68) is arranged to move the valve stem (64) away from the valve seat (62). A valve wall (70) encloses the valve seat (62), valve stem (64), spring (68) and magnetostrictive element (66). A magnetic coil (72), a keeper (74) and a permanent magnet (76) are arranged around the valve wall (70). The fluid flow control valve (60) is used to modulate the supply of fuel to a gas turbine engine combustion chamber to reduce combustion noise especially in premixed lean burn combustion chamber. The advantage is that there are no seals in the valve wall where leakage may occur and the valve is modular. <IMAGE>

IPC 1-7
F02C 9/26; **F02C 7/232**

IPC 8 full level
F02C 7/232 (2006.01); **F02C 9/26** (2006.01); **F23K 5/00** (2006.01); **F23K 5/14** (2006.01)

CPC (source: EP)
F02C 7/232 (2013.01); **F02C 9/26** (2013.01); **F23K 5/007** (2013.01); **F23K 5/147** (2013.01); **F23R 2900/00013** (2013.01); **F23R 2900/00014** (2013.01); **Y02T 50/60** (2013.01)

Cited by
FR3050789A1; WO2018005536A1

Designated contracting state (EPC)
CH DE FR GB LI SE

DOCDB simple family (publication)
EP 1223317 A2 20020717; **EP 1223317 A3 20040602**; **EP 1223317 B1 20080709**; CA 2366797 A1 20020716; DE 60134712 D1 20080821; GB 0101096 D0 20010228

DOCDB simple family (application)
EP 01310495 A 20011215; CA 2366797 A 20020104; DE 60134712 T 20011215; GB 0101096 A 20010116