

Title (en)
STROKE-CONTROLLED VALVE AS A FUEL METERING DEVICE OF AN INJECTION SYSTEM FOR INTERNAL COMBUSTION ENGINES

Title (de)
HUBGESTEUERTES VENTIL ALS KRAFTSTOFF-ZUMESSEINRICHTUNG EINES EINSPRITZSYSTEMS FÜR BRENNKRAFTMASCHINEN

Title (fr)
SOUPAPE A LEVEE COMMANDÉE UTILISÉE COMME DISPOSITIF DE DOSAGE DE CARBURANT D'UN SYSTÈME D'INJECTION DE MOTEURS A COMBUSTION INTERNE

Publication
EP 1240424 A1 20020918 (DE)

Application
EP 01998729 A 20011116

Priority
• DE 0104306 W 20011116
• DE 10059424 A 20001130

Abstract (en)
[origin: WO0244548A1] The invention relates to a stroke-controlled valve which is used as a fuel metering device of an injection system for internal combustion engines. Said valve has a valve needle (11) which can be actuated axially against the resistance of a spring (24), which is arranged in a graduated, coaxial recess (13) in a valve body (10) and which interacts with a valve seat (17) which is configured in the recess (13) of the valve body (10), hereby controlling the fuel injection process. The valve also comprises a high-pressure area (18) which is connected to an allocated injection nozzle and which is located in front of the valve seat (17), a low-pressure area (28) which is located behind the valve seat and which opens out into the fuel return passage (30); and a low-pressure compensating piston (22) which coaxially adjoins the valve (16, 17) and which is solidly connected to the valve needle. The invention is characterised in that a first control edge (39 or 42) is configured on the low-pressure compensating piston (22). Said control edge interacts with a second control edge (40 or 43) on the valve body recess (13) in the area of the fuel return passage (45, 30) or (48, 30) in such a way that a throttle cross-section (38, 38a or 46, 44a) that is dependent on the valve stroke (41) is formed between the two control edges (39, 40 or 42, 43).

IPC 1-7
F02M 59/46; F02M 59/36; F02M 53/00; F02M 41/14

IPC 8 full level
F02M 41/14 (2006.01); **F02M 53/00** (2006.01); **F02M 59/20** (2006.01); **F02M 59/36** (2006.01); **F02M 59/46** (2006.01); **F02M 63/00** (2006.01)

CPC (source: EP US)
F02M 59/205 (2013.01 - EP US); **F02M 59/366** (2013.01 - EP US); **F02M 59/466** (2013.01 - EP US); **F02M 63/0007** (2013.01 - EP US);
F02M 63/0017 (2013.01 - EP US); **F02M 63/0045** (2013.01 - EP US)

Citation (search report)
See references of WO 0244548A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
WO 0244548 A1 20020606; DE 10059424 A1 20020606; DE 50104200 D1 20041125; EP 1240424 A1 20020918; EP 1240424 B1 20041020;
JP 2004514831 A 20040520; JP 4146227 B2 20080910; US 2003136385 A1 20030724; US 6802300 B2 20041012

DOCDB simple family (application)
DE 0104306 W 20011116; DE 10059424 A 20001130; DE 50104200 T 20011116; EP 01998729 A 20011116; JP 2002546063 A 20011116;
US 18269002 A 20021206