

Title (en)
PRINTING UNIT

Title (de)
DRUCKEINHEIT

Title (fr)
UNITE IMPRIMANTE

Publication
EP 1250228 B1 20030924 (DE)

Application
EP 00991084 A 20001216

Priority
• DE 0004501 W 20001216
• DE 10003027 A 20000125
• DE 10025999 A 20000525

Abstract (en)
[origin: WO0154905A1] A printing unit has two screen printing cylinders (12, 17) and a printing gap (14) formed by two cylinders (9, 16). At least the second cylinder of the two cylinders that form the printing gap is a transfer cylinder which co-operates with the second screen printing cylinder. A screen printing cylinder for the printing unit has a screen (23), a doctoring device which is situated radially inside said screen and a support element (36) which extends axially on the screen printing cylinder in the area of a limited peripheral section and which is used for sustaining a pressure exerted radially, outwards on the screen by the doctoring device when the limited peripheral section passes in front of said doctoring device.

IPC 1-7
B41F 15/08

IPC 8 full level
B41F 15/08 (2006.01); **B41F 15/22** (2006.01); **B41F 15/44** (2006.01)

CPC (source: EP US)
B41F 15/0809 (2013.01 - EP US)

Cited by
DE102006048329A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
WO 0154905 A1 20010802; AT E250500 T1 20031015; BR 0017011 A 20021022; CN 1193875 C 20050323; CN 1424965 A 20030618; EP 1250228 A1 20021023; EP 1250228 B1 20030924; JP 2003520708 A 20030708; RU 2229387 C2 20040527; US 2003010230 A1 20030116; US 6655270 B2 20031202

DOCDB simple family (application)
DE 0004501 W 20001216; AT 00991084 T 20001216; BR 0017011 A 20001216; CN 00818644 A 20001216; EP 00991084 A 20001216; JP 2001554870 A 20001216; RU 2002122989 A 20001216; US 18142702 A 20020725