

Title (en)
Operating element

Title (de)
Bedienelement

Title (fr)
Élément de commande

Publication
EP 1278111 A3 20030730 (DE)

Application
EP 02011713 A 20020525

Priority
DE 10135734 A 20010721

Abstract (en)
[origin: EP1278111A2] A cap (2) is connected to an evaluation unit (9) via a coupling element (6) that can be displaced in two orthogonal directions, w.r.t. the cap and w.r.t the evaluation unit respectively. The coupling element may be connected to the cap via a connecting piece, with a locked connection by welding or hot stamping. The evaluation unit may be arranged on a circuit board (10).

IPC 1-7
G05G 1/10; **G05G 1/12**

IPC 8 full level
G05G 1/10 (2006.01)

CPC (source: EP)
G05G 1/10 (2013.01); **H01H 2003/026** (2013.01); **H01H 2003/0286** (2013.01); **H01H 2003/105** (2013.01)

Citation (search report)
• [A] EP 1102289 A2 20010523 - PREH ELEKTRO FEINMECHANIK [DE] & DATABASE WPI Section EI Week 200157, Derwent World Patents Index; Class V01, AN 2001-517642
• [X] PATENT ABSTRACTS OF JAPAN vol. 2000, no. 23 10 February 2001 (2001-02-10)

Cited by
DE102005014934B3; ITBO20110628A1; DE102004022068B3; EP1594147A1; WO2023180221A1; WO2006051042A1; WO2007008182A3

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
EP 1278111 A2 20030122; **EP 1278111 A3 20030730**; **EP 1278111 B1 20050831**; DE 10135734 A1 20030206; DE 50204062 D1 20051006

DOCDB simple family (application)
EP 02011713 A 20020525; DE 10135734 A 20010721; DE 50204062 T 20020525