

Title (en)  
Operating element

Title (de)  
Bedienelement

Title (fr)  
Élément de commande

Publication  
**EP 1278111 A3 20030730 (DE)**

Application  
**EP 02011713 A 20020525**

Priority  
DE 10135734 A 20010721

Abstract (en)  
[origin: EP1278111A2] A cap (2) is connected to an evaluation unit (9) via a coupling element (6) that can be displaced in two orthogonal directions, w.r.t. the cap and w.r.t the evaluation unit respectively. The coupling element may be connected to the cap via a connecting piece, with a locked connection by welding or hot stamping. The evaluation unit may be arranged on a circuit board (10).

IPC 1-7  
**G05G 1/10**; **G05G 1/12**

IPC 8 full level  
**G05G 1/10** (2006.01)

CPC (source: EP)  
**G05G 1/10** (2013.01); **H01H 2003/026** (2013.01); **H01H 2003/0286** (2013.01); **H01H 2003/105** (2013.01)

Citation (search report)  
• [A] EP 1102289 A2 20010523 - PREH ELEKTRO FEINMECHANIK [DE] & DATABASE WPI Section EI Week 200157, Derwent World Patents Index; Class V01, AN 2001-517642  
• [X] PATENT ABSTRACTS OF JAPAN vol. 2000, no. 23 10 February 2001 (2001-02-10)

Cited by  
DE102005014934B3; ITBO20110628A1; DE102004022068B3; EP1594147A1; WO2023180221A1; WO2006051042A1; WO2007008182A3

Designated contracting state (EPC)  
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)  
**EP 1278111 A2 20030122**; **EP 1278111 A3 20030730**; **EP 1278111 B1 20050831**; DE 10135734 A1 20030206; DE 50204062 D1 20051006

DOCDB simple family (application)  
**EP 02011713 A 20020525**; DE 10135734 A 20010721; DE 50204062 T 20020525