

Title (en)

METHOD FOR PRODUCING AN OUTPUT DOCUMENT IN A COMPUTER SYSTEM

Title (de)

VERFAHREN ZUM ERSTELLEN EINES AUSGABEDOKUMENTS IN EINEM COMPUTERSYSTEM

Title (fr)

PROCEDE POUR ETABLIR UN DOCUMENT DE SORTIE DANS UN SYSTEME INFORMATIQUE

Publication

EP 1282867 A2 20030212 (DE)

Application

EP 01947142 A 20010515

Priority

- DE 0101808 W 20010515
- DE 10024523 A 20000518

Abstract (en)

[origin: WO0188748A2] The invention relates to a method for producing an output document (7) in a computer system, in which at least one application (1) is run that generates useful data (3) depending on events. The output document (7) represents a useful content formed by the useful data (3) and a predetermined formal content. A master layout (5) is associated with the event and contains design guidelines (6) for the output document (7) that lay down on the basis of which formal data (8) the formal content and on the basis of which useful data (3) the useful content is produced and how the useful data (3) and the formal data (8) are formatted in the output document (7). The design guidelines (6) of the master layout (5) are processed and the required formal data (8) are retrieved from a data bank and the required useful data (3) are taken over from the respective application (1). Components of a standard program with text processing are used to format the formal data (8) and the useful data (3). The formatted formal data (8) and the useful data (3) are processed for an output type, using components of a standard operating system.
[origin: WO0188748A2] The invention relates to a method for producing an output document (7) in a computer system, which generates useful data (3) depending on events. The output document (7) represents a useful content formed by the useful data (3) and a predetermined formal content. A master layout (5) is associated with the event and contains design guidelines (6) for the output document (7) that lay down on the basis of which formal data (8) the formal content and on the basis of which useful data (3) the useful content is produced and how the useful data (3) and the formal data (8) are formatted in the output document (7). The design guidelines (6) of the master layout (5) are processed and the required formal data (8) are retrieved from a data bank and the required useful data (3) are taken over from the respective application (1). Components of a standard program with text processing are used to format the formal data (8) and the useful data (3). The formatted formal data (8) and useful data (3) are processed for an output type, using components of a standard operating system.

IPC 1-7

G06F 17/21

IPC 8 full level

G06F 17/21 (2006.01); **G06F 17/24** (2006.01)

CPC (source: EP)

G06F 40/103 (2020.01); **G06F 40/174** (2020.01)

Citation (search report)

See references of WO 0188748A2

Citation (examination)

MITCHELL: "Multiple document merge???", GOOGLE GROUPS, 6 January 2000 (2000-01-06), Retrieved from the Internet <URL:http://groups.google.com/group/microsoft.public.word.word97vba/browse_thread/thread/6173381e472e6207/b45c8e2ff1b4625a?tvc=2&q=multiple+document+merge&hl=en> [retrieved on 20060324]

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)

WO 0188748 A2 20011122; WO 0188748 A3 20021031; DE 10024523 A1 20011122; EP 1282867 A2 20030212

DOCDB simple family (application)

DE 0101808 W 20010515; DE 10024523 A 20000518; EP 01947142 A 20010515