

Title (en)
Linear capper and capping method

Title (de)
Linearer Verschliesser und Verschlussmethode

Title (fr)
Capsuleur linéaire et procédé de fermeture

Publication
EP 1295840 A3 20040114 (EN)

Application
EP 02012918 A 20020611

Priority
JP 2001292381 A 20010925

Abstract (en)
[origin: EP1295840A2] A linear capper (2) is provided with a piece unit transport mechanism (52). This mechanism (52) transports a scratch piece unit (60) between a cap-receiving position and a setting position in a substantially horizontal plane. The cap-receiving position is a position where the caps (48) are sequentially transferred from the terminating end of the cap transport passage (50) to the scratch pieces (58) of the scratch piece unit (60). The setting position is a position where the scratch piece unit (60) is set above the conveyor (6). A scratch piece unit (60) is on the scratch piece transport mechanism (52). The scratch piece unit (60) moves after an operation unit (18), which moves in accordance with the movement of the conveyor (6). The scratch piece unit (60) is movable in the conveying direction of the conveyor (6), the direction opposite to the conveying direction, and the direction orthogonal to the conveying direction. <IMAGE>

IPC 1-7
B67B 3/00; B67B 3/20; B67B 3/064

IPC 8 full level
B67B 3/06 (2006.01); **B67B 1/04** (2006.01); **B67B 3/00** (2006.01); **B67B 3/064** (2006.01); **B67B 3/20** (2006.01)

CPC (source: EP)
B67B 3/00 (2013.01); **B67B 3/064** (2013.01); **B67B 3/2053** (2013.01); **B67B 3/206** (2013.01)

Citation (search report)
• [XY] EP 0745555 A1 19961204 - SEIKO CO LTD [JP]
• [Y] FR 2606006 A1 19880506 - CGA HBS [FR]
• [A] GB 394480 A 19330629 - STANDARD CAP & SEAL CORP

Cited by
CN112250007A; CN115849279A; RU2468985C2; ITUD20090137A1; EP3476796A1; WO2011029258A1; US8915047B2; US10000369B2

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
EP 1295840 A2 20030326; EP 1295840 A3 20040114; EP 1295840 B1 20050817; DE 60205552 D1 20050922; DE 60205552 T2 20060330;
JP 2003095384 A 20030403

DOCDB simple family (application)
EP 02012918 A 20020611; DE 60205552 T 20020611; JP 2001292381 A 20010925