

Title (en)
POSITIVE DISPLACEMENT PUMP

Title (de)
VERDRÄNGERPUMPE

Title (fr)
POMPE VOLUMETRIQUE

Publication
EP 1299643 A1 20030409 (DE)

Application
EP 01971753 A 20010706

Priority
• DE 10033404 A 20000708
• EP 0107776 W 20010706

Abstract (en)

[origin: WO0204812A1] The invention relates to a positive displacement pump, especially a reciprocating positive displacement pump, comprising at least one piston (30) that is displaced relative to a pump housing, thereby changing the volume of a working chamber. A pump body (22) is received in a rotor sleeve (20) that rotates about said pump body. Said pump body is provided with longitudinal grooves extending from its peripheral surface (23) that receive energy accumulators (40) associated with the pistons (30). Every piston (30) is associated with a bolt- or needle-shaped body (36) on its front face facing the rotor sleeve (20). The inner surface (21) of the rotor sleeve (20) rests against and rolls off on the outer surfaces of said bodies (36). The pump body (22) has an eccentric cross-section in the rotor sleeve (20). An annular gap (19) present between those two parts has a gap width (t) that tapers in the peripheral direction. Preferably, the inner bore of the rotor sleeve (20) is eccentrically disposed in said rotor sleeve.

IPC 1-7
F04B 1/047; F04C 2/348

IPC 8 full level
F04B 1/04 (2006.01); F04B 1/047 (2006.01); F04C 2/348 (2006.01)

CPC (source: EP)
F04B 1/0426 (2013.01); F04B 1/047 (2013.01); F04C 2/348 (2013.01)

Citation (search report)
See references of WO 0204812A1

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
WO 0204812 A1 20020117; AT E306019 T1 20051015; AU 9166201 A 20020121; DE 10132298 A1 20020425; DE 50107621 D1 20060216;
EP 1299643 A1 20030409; EP 1299643 B1 20051005

DOCDB simple family (application)
EP 0107776 W 20010706; AT 01971753 T 20010706; AU 9166201 A 20010706; DE 10132298 A 20010706; DE 50107621 T 20010706;
EP 01971753 A 20010706