

Title (en)

DEVICE FOR PREVENTING THE DRIFT OF A SEAL IN A VIBRATING ENVIRONMENT

Title (de)

VORRICHTUNG ZUR VERHINDERUNG DES AUSWANDERNS EINER SCHWINGUNGSBELASTETEN DICHTUNG

Title (fr)

DISPOSITIF DESTINE A EMPECHER LA DERIVE D'UN JOINT SOUMIS A DES VIBRATIONS

Publication

EP 1299925 B1 20050629 (DE)

Application

EP 01929316 A 20010405

Priority

- DE 0101322 W 20010405
- DE 10023587 A 20000513

Abstract (en)

[origin: WO0189039A1] The invention relates to a device for preventing the drift of a seal in a vibrating environment, said seal being held between two components braced against each other with the aid of tensioning means (18). The inventive device is designed particularly to prevent the drift of a seal (4) placed between a multipoint connector (14) and a housing half-shell (1) of a vehicle clutch actuator. Said device comprises stop faces (34, 36) for the joint (4), which act in a plane substantially perpendicular to the direction of constraint, said stop faces being at least partially formed on the tensioning means (18).

IPC 1-7

H01R 13/52

IPC 8 full level

F16J 15/10 (2006.01); **H01R 13/52** (2006.01); **H01R 13/74** (2006.01)

CPC (source: EP KR US)

H01R 13/5202 (2013.01 - EP US); **H01R 13/533** (2013.01 - KR); **H01R 13/74** (2013.01 - EP US)

Designated contracting state (EPC)

DE ES FR GB IT SE

DOCDB simple family (publication)

WO 0189039 A1 20011122; BR 0110790 A 20071023; CN 1248370 C 20060329; CN 1429420 A 20030709; CZ 20023669 A3 20030618; DE 10023587 A1 20011115; DE 50106643 D1 20050804; EP 1299925 A1 20030409; EP 1299925 B1 20050629; ES 2243487 T3 20051201; JP 2003533661 A 20031111; KR 100828955 B1 20080513; KR 20030005331 A 20030117; US 2004092161 A1 20040513; US 6893279 B2 20050517

DOCDB simple family (application)

DE 0101322 W 20010405; BR 0110790 A 20010405; CN 01809432 A 20010405; CZ 20023669 A 20010405; DE 10023587 A 20000513; DE 50106643 T 20010405; EP 01929316 A 20010405; ES 01929316 T 20010405; JP 2001585359 A 20010405; KR 20027014975 A 20010405; US 27614703 A 20030602