

Title (en)
EARTHQUAKE RESISTANT BEARING FOR ESCALATORS OR TRAVELATORS

Title (de)
ERDBEBENSICHERES AUFLAGER FÜR FAHRTREPPPE ODER FAHRSTEIG

Title (fr)
STRUCTURE PORTEUSE RESISTANTE AUX TREMBLEMENTS DE TERRE POUR ESCALATORS OU TROTTOIRS ROULANTS

Publication
EP 1303455 B1 20040922 (DE)

Application
EP 01949180 A 20010724

Priority

- EP 01949180 A 20010724
- CH 0100457 W 20010724
- EP 00810670 A 20000727

Abstract (en)
[origin: WO0210054A1] Longitudinal movements of escalators occur during earthquakes, which can move a bearing support (6) to an excessive degree out of the bearing region and cause the collapse of the escalator. Cables (14) which serve as safety elements limit the displacement of the bearing support (6) in the bearing region and prevent collapse of the escalator. The cables (14) are pre-fitted at the factory to fixtures (15) arranged on the support (5). The cables (14) when in situ are, for example, drawn through drillings (16) on the building support (8) and looped over a cable beam (17). The free end of the cable (14) is fixed by means of cable clamps (18). The cable beam (17) is arranged on the building corbel (19). Should the building corbel not resist the load in the case of a catastrophe, the cable beam (17) is stopped by the drillings (16), preventing collapse of the escalator.

IPC 1-7
B66B 21/00

IPC 8 full level
B66B 21/00 (2006.01)

CPC (source: EP US)
B66B 21/00 (2013.01 - EP US)

Designated contracting state (EPC)
AT CH DE FR GB LI

DOCDB simple family (publication)
WO 0210054 A1 20020207; AT E276961 T1 20041015; AU 7042401 A 20020213; BR 0112737 A 20030624; BR 0112737 B1 20100223; CN 1197759 C 20050420; CN 1441748 A 20030910; DE 50103782 D1 20041028; EP 1303455 A1 20030423; EP 1303455 B1 20040922; US 2003102198 A1 20030605

DOCDB simple family (application)
CH 0100457 W 20010724; AT 01949180 T 20010724; AU 7042401 A 20010724; BR 0112737 A 20010724; CN 01811395 A 20010724; DE 50103782 T 20010724; EP 01949180 A 20010724; US 33922003 A 20030109