

Title (en)

A METHOD FOR THE REMOVAL OF DAMPNESS FROM BUILDINGS BY THE CRISTALLINE INJECTION TECHNIQUE

Title (de)

VERFAHREN ZUR ENTFEUCHTUNG VON BAUTEN DURCH KRISTALLINE EINSPRITZUNGSTECHNIK

Title (fr)

PROCEDE POUR ELIMINER L'HUMIDITE DES BATIMENTS PAR LA TECHNIQUE D'INJECTION DE MATERIAU CRISTALLIN

Publication

EP 1327033 B1 20041006 (EN)

Application

EP 01945853 A 20010713

Priority

- PL 0100059 W 20010713
- PL 34862201 A 20010712

Abstract (en)

[origin: WO03006759A1] A method for the removal of dampness from buildings, the walls of which became damp because of capillary rise of groundwater, by the crystalline injection method, wherein into purposely drilled holes in the wall, made preferably at the same level from 10 to 18 cm apart at an angle of 15 to 30 degrees previously soaked with water, upon their previous additional soaking with water, is introduced a mixture of aqueous suspension of portland cement, a silicone activator with sodium silicate and sodium orthophenylphenolate and water taken in a quantity such that the mixture have a homogenous, liquid consistency and is self-levelling in the vessel so that during its gravitational introducing into the injection holes no air plugs could form.

IPC 1-7

E04B 1/64; **E04G 23/02**; **E04B 1/70**

IPC 8 full level

E04B 1/64 (2006.01); **E04B 1/70** (2006.01); **E04G 23/02** (2006.01)

CPC (source: EP)

E04B 1/648 (2013.01)

Designated contracting state (EPC)

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)

WO 03006759 A1 20030123; AT E278848 T1 20041015; DE 60106288 D1 20041111; DE 60106288 T2 20050217; DK 1327033 T3 20041206; EP 1327033 A1 20030716; EP 1327033 B1 20041006; ES 2228895 T3 20050416; PL 191347 B1 20060531; PL 348622 A1 20030113

DOCDB simple family (application)

PL 0100059 W 20010713; AT 01945853 T 20010713; DE 60106288 T 20010713; DK 01945853 T 20010713; EP 01945853 A 20010713; ES 01945853 T 20010713; PL 34862201 A 20010712