

Title (en)
POINT-TO-MULTIPOINT PASSIVE OPTICAL NETWORK THAT UTILIZES VARIABLE-LENGTH PACKETS AND VARIABLE-LENGTH UPSTREAM TIME SLOTS

Title (de)
PASSIVES OPTISCHES PUNKT-ZU-MEHRPUNKT-NETZWERK, DAS PAKETE VARIABLER LÄNGE UND AUFWÄRTS-ZEITSCHLITZE VARIABLER LÄNGE VERWENDET

Title (fr)
RESEAU OPTIQUE PASSIF POINT A MULTIPOINT UTILISANT DES PAQUETS VARIABLES EN LONGUEUR ET DES INTERVALLES DE TEMPS AMONT VARIABLES EN LONGUEUR

Publication
EP 1342106 A4 20041208 (EN)

Application
EP 01273990 A 20011116

Priority

- US 0143599 W 20011116
- US 71524800 A 20001117

Abstract (en)

[origin: WO02097476A2] A point-to-multipoint passive optical network transmits downstream data from an optical line terminal (OLT) to multiple optical network units (ONUs) in variable-length packets and upstream data from the ONUs to the OLT in variable-length packets utilizing time division multiplexing with variable-length time slots to avoid transmission collisions. In an embodiment, the system further includes a time slot controller in communication with the OLT and the ONUs for changing the length of the ONU-specific variable-length time slots in response to upstream traffic demand from the ONUs. In a further embodiment, the time slot controller includes logic for increasing the length of a first ONU-specific time slot in response to an increase in upstream traffic demand from a first ONU, the first ONU being one of the ONUs. In a further embodiment, the time slot controller includes logic for decreasing the length of a second ONU-specific time slot in response to the increase in the length of the first ONU-specific time slot. In an embodiment, the variable-length downstream packets and the variable-length upstream packets are formatted according to IEEE 802.3.

IPC 1-7
G02B 1/00

IPC 8 full level
H04J 3/00 (2006.01); **H04B 10/00** (2006.01); **H04B 10/20** (2006.01); **H04B 10/213** (2006.01); **H04J 14/00** (2006.01); **H04J 14/02** (2006.01); **H04J 14/08** (2006.01); **H04Q 11/00** (2006.01)

CPC (source: EP)
H04Q 11/0067 (2013.01); **H04Q 11/0066** (2013.01); **H04Q 2011/0064** (2013.01)

Citation (search report)

- [X] DAIL J E ET AL: "ADAPTIVE DIGITAL ACCESS PROTOCOL: A MAC PROTOCOL FOR MULTISERVICE BROADBAND ACCESS NETWORKS", IEEE COMMUNICATIONS MAGAZINE, IEEE SERVICE CENTER. PISCATAWAY, N.J, US, vol. 34, no. 3, 1 March 1996 (1996-03-01), pages 104 - 112, XP000557382, ISSN: 0163-6804 & EP 0713347 A2 19960522 - AT & T CORP [US] & US 5953344 A 19990914 - DAIL JAMES E [US], et al
- See references of WO 02097476A2

Cited by
EP1345468A3; US7437076B2

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
WO 02097476 A2 20021205; **WO 02097476 A3 20030501**; CN 1484933 A 20040324; EP 1342106 A2 20030910; EP 1342106 A4 20041208; JP 2004528784 A 20040916

DOCDB simple family (application)
US 0143599 W 20011116; CN 01821735 A 20011116; EP 01273990 A 20011116; JP 2003500600 A 20011116