

Title (en)
METHOD FOR IMPREGNATING A TEXTILE MATERIAL

Title (de)
VERFAHREN ZUM IMPRÄGNIEREN VON TEXTILGUT

Title (fr)
PROCEDE D'IMPREGNATION DE MATIERE TEXTILE

Publication
EP 1343930 B1 20040915 (DE)

Application
EP 01984848 A 20011214

Priority
• DE 10063805 A 20001221
• EP 0114809 W 20011214

Abstract (en)
[origin: WO0250367A2] The method is used for continuously impregnating textile materials in an impregnation compartment containing the impregnating liquor, the textile material being fed through said compartment, wherein the impregnating liquor contains a lye or a lye and additionally an oxidative bleaching agent as impregnating agent. Part of the impregnating liquor is branched off via a bypass (2, 2a), filtered and then fed to one or more sensors (17, 21) to determine the concentration of the impregnating agent. The branched-off part of the impregnating liquor is heated before it is filtered. Continuous, uninterrupted and a precise post-dosing of the impregnating agent is achieved.

IPC 1-7
D06B 1/00

IPC 8 full level
D06L 3/02 (2006.01); **D06B 1/00** (2006.01); **D06B 23/28** (2006.01)

CPC (source: EP KR US)
D06B 23/28 (2013.01 - EP US); **D06M 11/50** (2013.01 - KR)

Cited by
CN116463802A

Designated contracting state (EPC)
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE TR

DOCDB simple family (publication)
WO 0250367 A2 20020627; **WO 0250367 A3 20021219**; AT E276395 T1 20041015; BR 0116254 A 20031230; CN 1483097 A 20040317; DE 10063805 A1 20020711; DE 50103681 D1 20041021; EP 1343930 A2 20030917; EP 1343930 B1 20040915; JP 2004516392 A 20040603; KR 20030067709 A 20030814; MX PA03005478 A 20050826; PT 1343930 E 20050131; US 2004049858 A1 20040318

DOCDB simple family (application)
EP 0114809 W 20011214; AT 01984848 T 20011214; BR 0116254 A 20011214; CN 01821114 A 20011214; DE 10063805 A 20001221; DE 50103681 T 20011214; EP 01984848 A 20011214; JP 2002551235 A 20011214; KR 20037008190 A 20030619; MX PA03005478 A 20011214; PT 01984848 T 20011214; US 45100103 A 20030618