

## Title (en)

Window for spirally formed containers

## Title (de)

Fenster für spiralförmig hergestellten Behälter

## Title (fr)

Fenêtre pour récipients formés en spirale

## Publication

**EP 1361161 A3 20031119 (EN)**

## Application

**EP 03014810 A 20000531**

## Priority

- EP 00304641 A 20000531
- US 32634699 A 19990604

## Abstract (en)

[origin: EP1361161A2] A container (10) having a window for viewing the product contained therein and an associated method of manufacture is provided. The container is constructed of at least one body ply (12) and a liner ply (14). The body ply (12) defines at least one aperture (16) therethrough such that when the body ply (12) is wrapped into a tubular shape the aperture (16) forms a window through the body ply (12) into the container (10). The liner ply (14) extends across the aperture (16) in the body ply and has a sufficiently low opacity that allows the product in the container (10) to be viewed through the window. The liner ply (14) provides a moisture and gas barrier inside the container around the product. The container includes a label ply (15). The label ply (15) defines at least one aperture (17) therethrough. The cutting of the at least one aperture (17) in the label ply (15) is registered. The body ply (12) defines at least one aperture (16) therethrough corresponding to the at least one aperture (17) in the label ply (15). The body ply (12) is wrapped around the previously wrapped liner ply (14) on the mandrel and then the label ply (15) is wrapped around the previously wrapped body ply (12) and liner ply (14) so that the apertures in the label ply are aligned with apertures in the body ply to create a tubular shape having a viewing window through both body plies. <IMAGE>A container (10) having a window for viewing the product contained therein and an associated method of manufacture is provided. The container is constructed of at least one body ply (12) and a liner ply (14). The body ply (12) defines at least one aperture (16) therethrough such that when the body ply (12) is wrapped into a tubular shape the aperture (16) forms a window through the body ply (12) into the container (10). The liner ply (14) extends across the aperture (16) in the body ply and has a sufficiently low opacity that allows the product in the container (10) to be viewed through the window. The liner ply (14) provides a moisture and gas barrier inside the container around the product. The container includes a label ply (15). The label ply (15) defines at least one aperture (17) therethrough. The cutting of the at least one aperture (17) in the label ply (15) is registered. The body ply (12) defines at least one aperture (16) therethrough corresponding to the at least one aperture (17) in the label ply (15). The body ply (12) is wrapped around the previously wrapped liner ply (14) on the mandrel and then the label ply (15) is wrapped around the previously wrapped body ply (12) and liner ply (14) so that the apertures in the label ply are aligned with apertures in the body ply to create a tubular shape having a viewing window through both body plies. <IMAGE>

## IPC 1-7

**B65D 3/22**; **B65D 25/54**; **B31B 1/82**

## IPC 8 full level

**B31B 1/82** (2006.01); **B31B 50/83** (2017.01); **B31C 3/02** (2006.01); **B65D 3/22** (2006.01); **B65D 25/54** (2006.01)

## CPC (source: EP)

**B31C 3/02** (2013.01); **B65D 3/22** (2013.01); **B65D 25/54** (2013.01); **B31B 50/83** (2017.07)

## Citation (search report)

- [A] US 5846619 A 19981208 - CAHILL GLENDA J [US], et al
- [A] GB 2074124 A 19811028 - FERRY PICKERING SALES LTD
- [A] US 1894295 A 19330117 - NICHOLAS SCANDORE
- [A] US 1520870 A 19241230 - KOCH LYDIA B
- [A] PATENT ABSTRACTS OF JAPAN vol. 014, no. 266 (M - 0982) 8 June 1990 (1990-06-08)

## Cited by

WO2014098757A1; US2015329267A1; JP2016507429A; EP2943410A4

## Designated contracting state (EPC)

DE FR GB NL

## DOCDB simple family (publication)

**EP 1361161 A2 20031112**; **EP 1361161 A3 20031119**; DE 60012821 D1 20040916; DE 60012821 T2 20050901

## DOCDB simple family (application)

**EP 03014810 A 20000531**; DE 60012821 T 20000531