

Title (en)

HYDRAULIC DRIVING UNIT FOR WORKING MACHINE, AND METHOD OF HYDRAULIC DRIVE

Title (de)

HYDRAULISCHE ANTRIEBSEINHEIT EINER ARBEITSMASCHINE, UND HYDAULISCHES ANTRIEBSVERFAHREN

Title (fr)

UNITE HYDRAULIQUE D'ENTRAINEMENT D'UN ENGINE ET PROCEDE ASSOCIE

Publication

EP 1398512 B1 20110119 (EN)

Application

EP 02738772 A 20020620

Priority

- JP 0206138 W 20020620
- JP 2001188357 A 20010621
- JP 2002014357 A 20020123

Abstract (en)

[origin: EP1398512A1] A fuel injection control device (an electronic governor and a controller) for an engine is capable of controlling the governor region to an isochronous characteristic. A working machine controller receives a delivery pressure signal and controls a regulator in such a manner that when the delivery pressure of a hydraulic pump exceeds a predetermined pressure, the displacement volume of the hydraulic pump does not exceed. A system enabling the dissemination of location data between user terminals and to and from network resources, and the utilization of the location data in a manner convenient to users. User terminals, such as cellular telephones, personal digital assistants (PDAs), personal computers, and other interactive devices, may be location-enabled or conventional user terminals capable of transmitting service request data to network resources. In the case of location-enabled terminals, the terminal may store a plurality of items of location data, including spatial coordinate data, for dissemination to other user terminals and/or for transmission to network resources. The items of location data may be derived from systems for sensing the location of the mobile terminal, including satellite base positioning systems such as the global positioning system (GPS) or network-based or assisted positioning systems. Other sources of location data include other user terminals, network resources or manual provisioning of location data by the user at the terminal. In an alternative embodiment, user-selected location data is stored in a network side store for use by the user in relation to a range of remote processes, and is made accessible to a range of other network resources or user. Items from the network-side store may be transmitted to others for use in relation to service requests and other processes.

IPC 8 full level

F15B 11/00 (2006.01); **F04B 49/06** (2006.01); **F04B 49/08** (2006.01); **F15B 11/16** (2006.01)

CPC (source: EP KR)

F04B 49/06 (2013.01 - KR); **F04B 49/065** (2013.01 - EP); **F04B 49/08** (2013.01 - EP); **F15B 11/165** (2013.01 - EP); **F04B 2201/12041** (2013.01 - EP); **F04B 2201/12051** (2013.01 - EP); **F04B 2203/06** (2013.01 - EP); **F04B 2203/0603** (2013.01 - EP); **F04B 2205/05** (2013.01 - EP); **F04B 2205/09** (2013.01 - EP); **F15B 2211/20523** (2013.01 - EP); **F15B 2211/20546** (2013.01 - EP); **F15B 2211/255** (2013.01 - EP); **F15B 2211/30525** (2013.01 - EP); **F15B 2211/3056** (2013.01 - EP); **F15B 2211/3116** (2013.01 - EP); **F15B 2211/31576** (2013.01 - EP); **F15B 2211/50536** (2013.01 - EP); **F15B 2211/6309** (2013.01 - EP); **F15B 2211/6316** (2013.01 - EP); **F15B 2211/6333** (2013.01 - EP); **F15B 2211/6355** (2013.01 - EP); **F15B 2211/6651** (2013.01 - EP); **F15B 2211/6652** (2013.01 - EP); **F15B 2211/71** (2013.01 - EP)

Cited by

EP3112640A4; US10337171B2; US7797092B2; WO2020151821A1; WO2008057177A3; US7588118B2

Designated contracting state (EPC)

DE FR GB IT NL SE

DOCDB simple family (publication)

EP 1398512 A1 20040317; **EP 1398512 A4 20091111**; **EP 1398512 B1 20110119**; AU 2002313244 B2 20040527; CN 1300471 C 20070214; CN 1463333 A 20031224; DE 60238983 D1 20110303; JP 4077789 B2 20080423; JP WO2003001067 A1 20041014; KR 100540772 B1 20060110; KR 20030026346 A 20030331; WO 03001067 A1 20030103

DOCDB simple family (application)

EP 02738772 A 20020620; AU 2002313244 A 20020620; CN 02802125 A 20020620; DE 60238983 T 20020620; JP 0206138 W 20020620; JP 2003507430 A 20020620; KR 20037002428 A 20030219