

Title (en)

METHOD FOR MONITORING A PLASMA DISPLAY PANEL WITH DISCHARGE BETWEEN TRIAD-MOUNTED ELECTRODES

Title (de)

VERFAHREN ZUM ANTREIBEN EINER OBERFLÄCHENENTLADE-TYP-PLASMAANZEIGETAFEL MIT TRIADEELEKTRODEN

Title (fr)

PROCEDE DE PILOTAGE D'UN PANNEAU A PLASMA A DECHARGE DE SURFACE ENTRE DES ELECTRODES EN TRIADES

Publication

**EP 1407443 B1 20080917 (FR)**

Application

**EP 02747498 A 20020604**

Priority

- FR 0201870 W 20020604
- FR 0107707 A 20010613

Abstract (en)

[origin: FR2826166A1] The coplanar faceplate of the display panel has electrodes arranged in triplets, with a central electrode (20) and two opposite side electrodes (13,14). Activation and refresh voltage pulses are applied to the electrodes, with the central electrode always acting as anode. By making the central electrode larger, the luminous efficiency of the display panel is enhanced.

IPC 8 full level

**H01J 11/02** (2006.01); **G09G 3/20** (2006.01); **G09G 3/291** (2013.01); **G09G 3/296** (2013.01); **G09G 3/298** (2013.01); **G09G 3/292** (2013.01); **G09G 3/294** (2013.01)

CPC (source: EP KR US)

**G09G 3/291** (2013.01 - KR); **G09G 3/296** (2013.01 - KR); **G09G 3/2986** (2013.01 - EP US); **G09G 3/2927** (2013.01 - EP US); **G09G 3/2942** (2013.01 - EP US); **G09G 2310/066** (2013.01 - EP US); **G09G 2320/0228** (2013.01 - EP US)

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

**FR 2826166 A1 20021220; FR 2826166 B1 20030829**; CN 1272760 C 20060830; CN 1514991 A 20040721; DE 60228965 D1 20081030; EP 1407443 A1 20040414; EP 1407443 B1 20080917; JP 2005505788 A 20050224; JP 4184949 B2 20081119; KR 100854045 B1 20080826; KR 20040010698 A 20040131; TW 588301 B 20040521; US 2004160390 A1 20040819; US 7167144 B2 20070123; WO 02101703 A1 20021219

DOCDB simple family (application)

**FR 0107707 A 20010613**; CN 02811496 A 20020604; DE 60228965 T 20020604; EP 02747498 A 20020604; FR 0201870 W 20020604; JP 2003504373 A 20020604; KR 20037016218 A 20031211; TW 91112279 A 20020607; US 47969503 A 20031204