

Title (en)

METHOD FOR THE APPLICATION OF SELF-ADHESIVE LABELS

Title (de)

VERFAHREN ZUM AUFBRINGEN SELBSTKLEBENDER ETIKETTEN

Title (fr)

PROCEDE D'APPLICATION D'ETIQUETTES AUTOCOLLANTES

Publication

**EP 1409351 B1 20050921 (DE)**

Application

**EP 02762222 A 20020719**

Priority

- DE 0202657 W 20020719
- DE 10136294 A 20010725

Abstract (en)

[origin: DE10136294A1] To apply self-adhesive labels (16) by a controlled application/pressure drum (17), on to flat items (20) on a conveyor, the acceleration time is computed off-line to bring the application drum speed up to the mean conveying speed of the items to be labeled. Sensors time the movement of the leading edge of each item at two successive points, to give the start time for the application drum acceleration to meet the expression  $t_5 = t_4 + (t_4 - t_3) \times (x_6 - x_4) / (x_4 - x_3) - T_{Tr}$ .  $x_3$  and  $x_4$  are the positions of the first and second sensor units;  $x_6$  the time where the leading label edge meets the item;  $t_3$  and  $t_4$  the timings of the leading item edge at the sensors;  $t_5$  the drum acceleration start time;  $T_{Tr}$  the drum acceleration time to bring the label speed on its surface to the mean item conveying speed.

IPC 1-7

**B65C 9/18; B65C 9/42**

IPC 8 full level

**B65C 9/18** (2006.01); **B65C 9/42** (2006.01)

CPC (source: EP US)

**B65C 9/1819** (2013.01 - EP US); **B65C 9/42** (2013.01 - EP US); **B65C 9/1803** (2013.01 - EP US)

Designated contracting state (EPC)

BE DE FR GB IT

DOCDB simple family (publication)

**DE 10136294 A1 20030213**; DE 50204334 D1 20060202; EP 1409351 A1 20040421; EP 1409351 B1 20050921; JP 2004538219 A 20041224; JP 3981075 B2 20070926; US 2004194868 A1 20041007; US 7018491 B2 20060328; WO 03016145 A1 20030227

DOCDB simple family (application)

**DE 10136294 A 20010725**; DE 0202657 W 20020719; DE 50204334 T 20020719; EP 02762222 A 20020719; JP 2003521086 A 20020719; US 48504704 A 20040123