

Title (en)

METHOD FOR CONTROLLING AN INTERMITTENTLY OPERATING SCREW TOOL

Title (de)

VERFAHREN ZUR STEUERUNG EINES INTERMITTIEREND ARBEITENDEN SCHRAUBWERKZEUGS

Title (fr)

PROCEDE DE COMMANDE D'UNE VISSEUSE FONCTIONNANT PAR INTERMITTENCE

Publication

EP 1412135 B1 20080430 (DE)

Application

EP 02760283 A 20020727

Priority

- DE 10137896 A 20010802
- EP 0208386 W 20020727

Abstract (en)

[origin: WO03013797A1] The invention relates to a method for controlling an intermittent screw process. The inventive method is first carried out in a torque mode in which the torque is continuously measured. When a pre-torque (MF) is achieved, the method is carried out in an angle of rotation mode wherein the angle of rotation is measured. The angle of rotation (α) is incremented at each lift, based on the angle of rotation $\alpha = 0$ (corresponding to the pre-torque (MF)). The torque (MHE) which is reached at the end of the lift is stored. At the following lift, the measurement of the angle (α) is only begun when the torque (MHE) at the end of the previous lift is reached again. The screw process is ended when a target angle (α_Z) is reached.

IPC 8 full level

B25B 23/14 (2006.01); **B25B 21/00** (2006.01)

CPC (source: EP US)

B25B 21/005 (2013.01 - EP US); **B25B 23/14** (2013.01 - EP US); **B25B 23/145** (2013.01 - EP US)

Designated contracting state (EPC)

DE ES FR GB IT

DOCDB simple family (publication)

WO 03013797 A1 20030220; DE 10137896 A1 20030220; DE 50212187 D1 20080612; EP 1412135 A1 20040428; EP 1412135 B1 20080430; ES 2305281 T3 20081101; JP 2004537432 A 20041216; JP 4119365 B2 20080716; US 2004177704 A1 20040916; US 7000486 B2 20060221

DOCDB simple family (application)

EP 0208386 W 20020727; DE 10137896 A 20010802; DE 50212187 T 20020727; EP 02760283 A 20020727; ES 02760283 T 20020727; JP 2003518779 A 20020727; US 48547304 A 20040202