

Title (en)

METHOD FOR CONTROLLING AN INTERMITTENTLY OPERATING SCREW TOOL

Title (de)

VERFAHREN ZUR STEUERUNG EINES INTERMITTIEREND ARBEITENDEN SCHRAUBWERKZEUGS

Title (fr)

PROCEDE DE COMMANDE D'UNE VISSEUSE FONCTIONNANT PAR INTERMITTENCE

Publication

**EP 1412135 B1 20080430 (DE)**

Application

**EP 02760283 A 20020727**

Priority

- DE 10137896 A 20010802
- EP 0208386 W 20020727

Abstract (en)

[origin: WO03013797A1] The invention relates to a method for controlling an intermittent screw process. The inventive method is first carried out in a torque mode in which the torque is continuously measured. When a pre-torque (MF) is achieved, the method is carried out in an angle of rotation mode wherein the angle of rotation is measured. The angle of rotation ( alpha ) is incremented at each lift, based on the angle of rotation alpha = 0 (corresponding to the pre-torque (MF)). The torque (MHE) which is reached at the end of the lift is stored. At the following lift, the measurement of the angle ( alpha ) is only begun when the torque (MHE) at the end of the previous lift is reached again. The screw process is ended when a target angle ( alpha Z ) is reached.

IPC 8 full level

**B25B 23/14** (2006.01); **B25B 21/00** (2006.01)

CPC (source: EP US)

**B25B 21/005** (2013.01 - EP US); **B25B 23/14** (2013.01 - EP US); **B25B 23/145** (2013.01 - EP US)

Designated contracting state (EPC)

DE ES FR GB IT

DOCDB simple family (publication)

**WO 03013797 A1 20030220**; DE 10137896 A1 20030220; DE 50212187 D1 20080612; EP 1412135 A1 20040428; EP 1412135 B1 20080430; ES 2305281 T3 20081101; JP 2004537432 A 20041216; JP 4119365 B2 20080716; US 2004177704 A1 20040916; US 7000486 B2 20060221

DOCDB simple family (application)

**EP 0208386 W 20020727**; DE 10137896 A 20010802; DE 50212187 T 20020727; EP 02760283 A 20020727; ES 02760283 T 20020727; JP 2003518779 A 20020727; US 48547304 A 20040202