

Title (en)
METHOD OF IMPROVING TRANSMIT DIVERSITY RELIABILITY BY INCLUDING INTERLEAVING THE TRANSMIT DATA IN A SINGLE TIME SLOT

Title (de)
VERFAHREN ZUR VERBESSERUNG DER SENDE-DIVERSITY-ZUVERLÄSSIGKEIT DURCH HINZUFÜGEN EINER VERSCHACHTELUNG DER SENDEDATEN IN EINEM EINZIGEN ZEITSCHLITZ

Title (fr)
PROCEDE POUR AMELIORER LA FIABILITE DE DIVERSITE EN EMISSION PAR INTEGRATION DE L'ENTRELAACEMENT DES DONNEES D'EMISSION DANS UNE SEULE TRANCHE DE TEMPS

Publication
EP 1419605 A1 20040519 (EN)

Application
EP 02796256 A 20020820

Priority

- EP 0209344 W 20020820
- GB 0120535 A 20010823
- GB 0127207 A 20011110

Abstract (en)
[origin: WO03019849A1] In a telecommunication system a method of transmitting digitised data via at least two transmission paths channels and including the step of applying interleaving in the space domain i.e. interleaving in a single time slot. This preferably includes the steps of: -coding the data by spreading the data using a number of spreading codes - applying interleaving in the space domain frame segmenting the data and - transmitting said data via at least two antennas. Interleaving may be applied across the time domain also.

IPC 1-7
H04L 1/06; **H04B 7/06**

IPC 8 full level
H04B 7/06 (2006.01); **H04L 1/06** (2006.01); **H04L 1/00** (2006.01)

CPC (source: EP)
H04B 7/0613 (2013.01); **H04L 1/0071** (2013.01); **H04L 1/0618** (2013.01)

Citation (search report)
See references of WO 03019849A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

DOCDB simple family (publication)
WO 03019849 A1 20030306; CN 1309198 C 20070404; CN 1545780 A 20041110; EP 1419605 A1 20040519

DOCDB simple family (application)
EP 0209344 W 20020820; CN 02816336 A 20020820; EP 02796256 A 20020820