

Title (en)
CUTTING BLADE THAT CAN BE ROTATIONALLY DRIVEN

Title (de)
ROTIEREND ANTREIBBARES SCHNEIDMESSER

Title (fr)
LAME ENTRAINABLE EN ROTATION

Publication
EP 1434672 A1 20040707 (DE)

Application
EP 02790354 A 20021111

Priority
• DE 10155048 A 20011109
• EP 0212590 W 20021111

Abstract (en)
[origin: WO03039823A1] The invention relates to a cutting blade that can be rotationally driven in which a stabilization area provided in the form of at least one bulge is provided between a central fixing area and an edge area whose outer periphery is provided in the form of a cutting edge.

IPC 1-7
B26B 25/00; **B26D 1/00**

IPC 8 full level
B26D 3/28 (2006.01); **B26B 9/00** (2006.01); **B26B 25/00** (2006.01); **B26D 1/00** (2006.01)

CPC (source: EP US)
B26D 1/0006 (2013.01 - EP US); **B26D 2001/0046** (2013.01 - EP US); **B26D 2001/0053** (2013.01 - EP US); **Y10T 83/6492** (2015.04 - EP US); **Y10T 83/929** (2015.04 - EP US); **Y10T 83/9372** (2015.04 - EP US)

Citation (search report)
See references of WO 03039823A1

Cited by
WO2014177711A1

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

DOCDB simple family (publication)
WO 03039823 A1 20030515; AT E289247 T1 20050315; CA 2480506 A1 20030515; CA 2480506 C 20080812; DE 10155048 A1 20030522; DE 50202297 D1 20050324; EP 1434672 A1 20040707; EP 1434672 B1 20050216; ES 2233875 T3 20050616; JP 2005507790 A 20050324; JP 3986498 B2 20071003; NO 20042351 D0 20040607; NO 20042351 L 20040607; PT 1434672 E 20050531; US 2005034587 A1 20050217; US 2007119285 A1 20070531; US 9102072 B2 20150811

DOCDB simple family (application)
EP 0212590 W 20021111; AT 02790354 T 20021111; CA 2480506 A 20021111; DE 10155048 A 20011109; DE 50202297 T 20021111; EP 02790354 A 20021111; ES 02790354 T 20021111; JP 2003541698 A 20021111; NO 20042351 A 20040607; PT 02790354 T 20021111; US 49500604 A 20041004; US 61430306 A 20061221