

Title (en)

Display orientation adjustment apparatus

Title (de)

Vorrichtung zum Verstellen von der Orientierung einer Anzeigevorrichtung

Title (fr)

Dispositif de réglage de l'orientation d'un écran de visualisation

Publication

EP 1443261 A3 20041208 (EN)

Application

EP 04250401 A 20040126

Priority

JP 2003026228 A 20030203

Abstract (en)

[origin: EP1443261A2] A movable part 10 of a display orientation adjustment apparatus H is attached to a rear surface of a display, and pivotably supported by a base 20, and its pivotal motion is restricted by a stopper 50 within a permissible range. If the movable part 10 is pivoted beyond the restricted range by a pivoting force of a predetermined magnitude or greater, the stopper 50 is released. Therefore, even if the display is pivoted inadvertently beyond the permissible range of the pivotal motion, breakage of components thereof would never take place, and its normal state of use can easily be restored. <IMAGE>

IPC 1-7

F16M 11/12

IPC 8 full level

H04N 5/64 (2006.01); **F16M 11/12** (2006.01); **G09F 9/00** (2006.01)

CPC (source: EP US)

F16M 11/105 (2013.01 - EP US); **F16M 11/2064** (2013.01 - EP US); **F16M 11/30** (2013.01 - EP US); **F16M 2200/041** (2013.01 - EP US); **Y10S 248/917** (2013.01 - EP US); **Y10S 248/919** (2013.01 - EP US)

Citation (search report)

- [A] WO 0137070 A2 20010525 - MASS ENGINEERED DESIGN [CA], et al
- [PA] WO 03050787 A1 20030619 - MURAKAMI CORP [JP], et al

Cited by

EP1793303A3; EP1806529A3; CN107704034A

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PT RO SE SI SK TR

DOCDB simple family (publication)

EP 1443261 A2 20040804; **EP 1443261 A3 20041208**; **EP 1443261 B1 20100505**; AT E467079 T1 20100515; CN 1333587 C 20070822; CN 1527326 A 20040908; DE 602004026950 D1 20100617; JP 2004239972 A 20040826; JP 4167506 B2 20081015; US 2004149873 A1 20040805; US 6966532 B2 20051122

DOCDB simple family (application)

EP 04250401 A 20040126; AT 04250401 T 20040126; CN 200410000485 A 20040202; DE 602004026950 T 20040126; JP 2003026228 A 20030203; US 76317704 A 20040126