

Title (en)

Electrical apparatus, in particular terminal block with insulation displacing contacts

Title (de)

Elektrisches Gerät, insbesondere Reihenklemme mit Piercingkontakten

Title (fr)

Appareil électrique, en particulier barette à bornes avec contacts autodénudants

Publication

**EP 1463150 A3 20081217 (DE)**

Application

**EP 04004921 A 20040303**

Priority

DE 20305155 U 20030328

Abstract (en)

[origin: EP1463150A2] An electrical appliance has at least one or more connection devices (6) for connection of a conductor (7) which is provided with an insulation and at least one conductor core and which has a cutter-type insulation piercing contact (8), a spring-actuated mechanism for automatic connecting of the conductor by means of an actuating element (10) provided with actuating spring, and in which the spring-actuated mechanism is provided with at least one latching device (V1). The latching device (V1) during latching on to the carrier rail by the carrier rail (5) is movable from a first to a second functional position.

IPC 8 full level

**H01R 9/24** (2006.01); **H01R 4/24** (2006.01); **H01R 13/64** (2006.01)

CPC (source: EP)

**H01R 9/2408** (2013.01); **H01R 13/64** (2013.01)

Citation (search report)

- [A] DE 3802174 A1 19890223 - GEYER GMBH & CO CHRISTIAN [DE]
- [A] FR 2440631 A1 19800530 - ALSTHOM CGEE
- [A] FR 2733361 A1 19961025 - SCHNEIDER ELECTRIC SA [FR]
- [A] DE 3443540 C1 19860424 - GEYER GMBH & CO CHRISTIAN
- [A] DE 7712331 U1 19771117
- [A] DE 19835459 C2 20021219 - PHOENIX CONTACT GMBH & CO [DE]

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL LT LV MK

DOCDB simple family (publication)

**EP 1463150 A2 20040929; EP 1463150 A3 20081217; DE 20305155 U1 20040819**

DOCDB simple family (application)

**EP 04004921 A 20040303; DE 20305155 U 20030328**