

Title (en)

BURNER WITH SEQUENTIAL FUEL INJECTION

Title (de)

BRENNER MIT GESTUFTER BRENNSTOFFEINSPRITZUNG

Title (fr)

BRULEUR PRESENTANT UNE INJECTION DE COMBUSTIBLE ETAGEE

Publication

EP 1463911 B1 20160727 (DE)

Application

EP 02782625 A 20021219

Priority

- CH 0200714 W 20021219
- DE 10164099 A 20011224

Abstract (en)

[origin: WO03056241A1] The invention relates to a burner (1), comprising an inner chamber (22), surrounded by at least one shell (8, 9). Fuel is injected through fuel nozzles (6), arranged in the burner shells (8, 9), into a combustion air flow (23) flowing in the inner chamber (22) within said burner (1). The fuel/air mixture produced flows within a delay time tau to a flame front (3) in a combustion chamber (2) and ignites there. According to the invention, the formation of combustion-induced thermoacoustic vibrations is avoided, whereby means (24), projecting within the inner chamber (22) from the burner base (27), essentially in the direction of the combustion chamber (2), permit an injection of fuel into the combustion airflow (23) through at least two fuel injection holes (25) distributed over the length of the means (24), such that the delay time tau , between injection of the fuel and the combustion thereof at the flamefront, is subject to a distribution (12) which avoids combustion-induced vibrations in pre-mix operation.

IPC 8 full level

F23R 3/28 (2006.01)

CPC (source: EP US)

F23R 3/286 (2013.01 - EP US); **F23C 2900/07002** (2013.01 - EP US); **F23R 2900/00014** (2013.01 - EP US)

Designated contracting state (EPC)

DE GB

DOCDB simple family (publication)

WO 03056241 A1 20030710; DE 10164099 A1 20030703; EP 1463911 A1 20041006; EP 1463911 B1 20160727; US 2006154192 A1 20060713; US 7241138 B2 20070710

DOCDB simple family (application)

CH 0200714 W 20021219; DE 10164099 A 20011224; EP 02782625 A 20021219; US 87416104 A 20040624