

Title (en)

COAXIAL LINE PLUG-IN CONNECTION WITH INTEGRATED GALVANIC SEPARATION

Title (de)

KOAXIALLEITUNGSSTECKVERBINDUNG MIT INTEGRIERTER GALVANISCHER TRENNUNG

Title (fr)

SYSTEME DE COUPLAGE D'UNE LIGNE A PAIRES COAXIALES A SEPARATION GALVANIQUE INTEGREE

Publication

**EP 1470619 B1 20060816 (DE)**

Application

**EP 03731684 A 20030121**

Priority

- EP 0300554 W 20030121
- US 5624302 A 20020123

Abstract (en)

[origin: US2003137372A1] The invention relates to a plug-in connection for galvanically separating microwave signals in coaxial lines, so as to comply with the requirements made on an explosion-proof separation. The plug-in connection comprises a plug and a socket having inner and outer conductors both connected with the coaxial line, and which are also constituted by an inner and an outer conductor. Within the plug-in connection, a dielectric material is provided so as to guarantee a galvanic separation of the outer conductor of the socket with respect to the outer conductor of the plug. In another embodiment, also a galvanic separation of the inner conductor is realized apart from the galvanic separation of the inner conductor.

IPC 8 full level

**H01R 13/02** (2006.01); **H01R 13/52** (2006.01); **H01R 13/7197** (2011.01); **H01R 24/44** (2011.01)

CPC (source: EP US)

**H01P 5/026** (2013.01 - EP); **H01R 13/025** (2013.01 - US); **H01R 13/7197** (2013.01 - US); **H01R 24/44** (2013.01 - US)

Designated contracting state (EPC)

DE FR GB

DOCDB simple family (publication)

**US 2003137372 A1 20030724**; **US 6778044 B2 20040817**; AU 2003226963 A1 20030902; CN 1330057 C 20070801; CN 1623254 A 20050601; DE 10302112 A1 20030731; DE 50304653 D1 20060928; EP 1470619 A2 20041027; EP 1470619 B1 20060816; HK 1072324 A1 20050819; WO 03063190 A2 20030731; WO 03063190 A3 20040325

DOCDB simple family (application)

**US 5624302 A 20020123**; AU 2003226963 A 20030121; CN 03802704 A 20030121; DE 10302112 A 20030121; DE 50304653 T 20030121; EP 0300554 W 20030121; EP 03731684 A 20030121; HK 05103526 A 20050425