

Title (en)

Method of controlling a road paver

Title (de)

Verfahren zum Steuern eines Strassenfertigers

Title (fr)

Procédé de commande d'un finisseur

Publication

EP 1544354 A3 20071114 (DE)

Application

EP 04025453 A 20041026

Priority

DE 10358645 A 20031215

Abstract (en)

[origin: EP1544354A2] The method employs several stages. A basing setting of at least one operational parameter of at least one working component of the finisher according to known standard conditions, is made in a setting process. Based on this basic setting, a precise setting of the operational parameter according to actual conditions during operation, is carried out. After this process, the operational parameter is stored and is used as standard condition for basic setting with comparable actual conditions, during a further setting process. The parameters of several setting processes are stored to provide a selection. Operational parameters of the precise setting are stored in from to permit its transmission from one finishing machine to a second one.

IPC 8 full level

E01C 19/00 (2006.01); **E01C 19/48** (2006.01)

CPC (source: EP)

E01C 19/00 (2013.01); **E01C 19/48** (2013.01); **E01C 2301/30** (2013.01)

Citation (search report)

- [X] DE 9416667 U1 19941215 - AMMANN VERDICHTUNG AG [CH]
- [Y] DE 10030305 A1 20011129 - SCHRECK MIEVES GMBH [DE]
- [Y] EP 1118713 A1 20010725 - JOSEPH VOEGELE AG [DE]
- [A] EP 0835962 A1 19980415 - GILETTA MICHELE S P A [IT]

Cited by

EP2366830A1; EP2514872A1; CN102747672A; EP2405057A1; CN102345267A; CN105155395A; US8894323B2; WO2018019416A1; WO2015034727A1; US8843280B2; US9045871B2; US8356957B2; JP2012017649A; EP2324336B1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL HR LT LV MK

DOCDB simple family (publication)

EP 1544354 A2 20050622; EP 1544354 A3 20071114; EP 1544354 B1 20130320; DE 10358645 A1 20050714

DOCDB simple family (application)

EP 04025453 A 20041026; DE 10358645 A 20031215