

Title (en)

Lamelae for the shading or light guiding in buildings

Title (de)

Lamelle zur Beschattung oder Lichtlenkung an Gebäuden

Title (fr)

Lamelle pour diminuer ou diriger la lumière dans les bâtiments

Publication

**EP 1555381 A3 20080514 (DE)**

Application

**EP 04028892 A 20041207**

Priority

DE 202004000549 U 20040115

Abstract (en)

[origin: EP1555381A2] A building has a sunshade made up of one or more parallel lamella. Each lamella has convex faces on both sides and interior shape-retaining ribs forming an approx. rectangular box through the centreline. The lamella presentation is adjusted using a matching elongated rectangular profile (10) resting on a spar (11) and inserted into the channel (4).

IPC 8 full level

**E06B 7/084** (2006.01); **E06B 9/386** (2006.01)

CPC (source: EP)

**E06B 7/084** (2013.01); **E06B 9/386** (2013.01)

Citation (search report)

- [XY] FR 1530512 A 19680628 - FERMETURES F M B
- [Y] US 5052150 A 19911001 - CHEN CHIH-TSUNG [TW]
- [XA] FR 2744166 A1 19970801 - ALCAN FRANCE [FR]
- [A] WO 9005602 A1 19900531 - TOENDER HYDRO ALUMINIUM [DK]

Cited by

DE102006005238A1; ES2387424A1

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU MC NL PL PT RO SE SI SK TR

Designated extension state (EPC)

AL BA HR LV MK YU

DOCDB simple family (publication)

**EP 1555381 A2 20050720; EP 1555381 A3 20080514; EP 1555381 B1 20110413**; AT E505617 T1 20110415; DE 202004000549 U1 20040401; DE 502004012395 D1 20110526; ES 2364554 T3 20110906

DOCDB simple family (application)

**EP 04028892 A 20041207**; AT 04028892 T 20041207; DE 202004000549 U 20040115; DE 502004012395 T 20041207; ES 04028892 T 20041207