

Title (en)
BATON

Title (de)
SCHLAGSTOCK

Title (fr)
MATRAQUE

Publication
EP 1583932 A1 20051012 (DE)

Application
EP 04729598 A 20040427

Priority
• DE 2004000876 W 20040427
• DE 20306698 U 20030429

Abstract (en)
[origin: US2007087844A1] The invention relates to a baton comprising at least two tube pieces, an outer tube piece and an inner tube piece which can be inserted into each other like a telescope and are interlockable in both the retracted and the deployed position. A radially displaceable locking top is disposed in the final region of the inner tube piece, which can be inserted into the outer tube piece, while a circumferential catching groove is arranged on the inside of the final region of the outer tube piece. The locking top is composed of several parts that are embodied like sectors of a circle and are joined so as to form a ring while the locking cap extends past the final region of the inner tube piece by means of a locking bulb. An expanding cone for the locking top is placed in side the inner tube piece across from the catching groove for the locking bulb, said expanding cone being movable to a limited extent in an axial direction and being fixed at the end of a positioning rod.

IPC 1-7
F41B 15/02

IPC 8 full level
F41B 15/02 (2006.01)

CPC (source: EP US)
F41B 15/027 (2013.01 - EP US)

Citation (search report)
See references of WO 2004097328A1

Cited by
EP3657119A1; CZ308103B6; DE102019125782A1; DE102019125782B4

Designated contracting state (EPC)
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)
US 2007087844 A1 20070419; US 7488255 B2 20090210; AT E323878 T1 20060515; DE 20306698 U1 20030731;
DE 502004000447 D1 20060524; EP 1583932 A1 20051012; EP 1583932 B1 20060419; WO 2004097328 A1 20041111

DOCDB simple family (application)
US 55435804 A 20040427; AT 04729598 T 20040427; DE 2004000876 W 20040427; DE 20306698 U 20030429; DE 502004000447 T 20040427;
EP 04729598 A 20040427