

Title (en)

Drawing device for spinning machine

Title (de)

Streckwerk für eine Spinnmaschine

Title (fr)

Système d'étirage pour un métier à filer

Publication

EP 1602755 B1 20070725 (EN)

Application

EP 04425391 A 20040531

Priority

EP 04425391 A 20040531

Abstract (en)

[origin: EP1602755A1] An drawing device for a spinning station (1) comprises a pair of feeding rollers (2,3), a pair of apron-holding rollers (10,11) downstream from the pair of feeding rollers (2,3), a pair of aprons (8,9) wound around said apron-holding rollers (10,11), return curve and guide devices (14,18,31,15), which condition the paths of the aprons (8,9) to create a stretch of contact (17), along which said aprons (8,9) are fixed to each other, creating a guide for a sliver (5). A pair of drawing rollers (21,22) is set downstream from the stretch of contact (17) of the pair of aprons (8,9). A pre-drawing area is created between a tightening slot (4) of the pair of feeding rollers (2,3) and an entrance tightening slot (7) of said aprons (8,9) between said apron-holding rollers (10,11). A main drawing area is created between the pair of apron-holding rollers (10,11) and the pair of drawing rollers (21,22), in which the angle (α) that is defined between a plane or straight joining line between the axes of rotation (26,28) of the pair of apron-holding rollers (10,11) and a plane or straight joining line between the axes of rotation (27,29) of the pair of drawing rollers (21,22) is greater than 10 DEG . <IMAGE>

IPC 8 full level

D01H 5/26 (2006.01)

CPC (source: EP)

D01H 5/26 (2013.01)

Designated contracting state (EPC)

CH DE IT LI

DOCDB simple family (publication)

EP 1602755 A1 20051207; EP 1602755 B1 20070725; BR PI0504125 A 20060221; CN 1704512 A 20051207; CN 1704512 B 20100428; DE 202004021697 U1 20100812; DE 602004007776 D1 20070906; DE 602004007776 T2 20080430

DOCDB simple family (application)

EP 04425391 A 20040531; BR PI0504125 A 20050516; CN 200510065910 A 20050415; DE 202004021697 U 20040531; DE 602004007776 T 20040531