

Title (en)
LOCK

Title (de)
SCHLOSS

Title (fr)
SERRURE

Publication
EP 1604084 B1 20061102 (DE)

Application
EP 04705775 A 20040128

Priority
• EP 2004000716 W 20040128
• DE 10305697 A 20030212

Abstract (en)
[origin: WO2004072417A1] The invention relates to a lock comprising a bar (50) which can be moved between an opening position and a closing position by means of a closing element (40) actuated by an actuating element (30). A stop piece (22) is associated with the actuating element (30) and blocks the actuating element (30) in the closing position. Said stop piece (22) can also be moved back and forth between a blocking position and an unblocking position, the actuating element (30) being released in the unblocking position. In order to ensure improved protection against vandalism using said lock, the closing element is coupled to the actuating element (30) in a rotationally fixed manner by means of an overload protection device (34), and the overload protection device releases the rotationally fixed connection between the actuating element (30) and the closing element (40) when a pre-determined or pre-determinable load is exceeded.

IPC 8 full level
E05B 17/00 (2006.01); **E05B 47/06** (2006.01)

CPC (source: EP)
E05B 17/0058 (2013.01); **E05B 47/0673** (2013.01); **E05B 47/0004** (2013.01)

Designated contracting state (EPC)
ES FR GB NL

DOCDB simple family (publication)
WO 2004072417 A1 20040826; DE 10305697 A1 20040902; DE 10305697 B4 20050331; EP 1604084 A1 20051214; EP 1604084 B1 20061102; ES 2276272 T3 20070616

DOCDB simple family (application)
EP 2004000716 W 20040128; DE 10305697 A 20030212; EP 04705775 A 20040128; ES 04705775 T 20040128