

Title (en)

METHOD OF REGENERATING BATTERY CELLS AND REGENERATIVE AGENT FOR LEAD BATTERIES

Title (de)

VERFAHREN ZUR REGENERIERUNG VON BATTERIEZELLEN UND REGENERIERUNGSMITTEL FÜR BLEIBATTERIEN

Title (fr)

PROCEDE DE REGENERATION D'ELEMENTS D'ACCUMULATEUR ET AGENT REGENERATEUR POUR DES BATTERIES AU PLOMB

Publication

**EP 1611626 B9 20110302 (EN)**

Application

**EP 04718901 A 20040310**

Priority

- CZ 2004000013 W 20040310
- CZ 2003699 A 20030310
- CZ 20031205 A 20030430

Abstract (en)

[origin: WO2004082038A2] The electrochemical regeneration of lead and alkaline battery cells during which, after the treatment of the battery by some of the regeneration additives on the basis of an aqueous solution of hydrogen peroxide and after the basic charging, they are alternately or intermittently charged and discharged. Above the limit located above the level of the full charge it is charged with a current of 1.1 % - 4% and discharged with a current of 0% - 5% related to the nominal value of the capacity of the cell or storage battery, or else the charging is carried out in two phases or by a constant current. Under the limit located below the level of the permitted discharging it is discharged with a current of 1 % to 4% and subsequently charged with a current of 3% - 10% related to the value of the capacity of the battery to a decrease in the voltage to 1.6 V of the cell or any of the battery's cells. Then the battery supplies 10% - 15% of its nominal capacity and this entire procedure is repeated 2 - 5 times. The regenerative agent contains, for each liter of aqueous solution 40% of hydrogen peroxide, 1 ml to 70 ml of sulfuric acid with a density of 1 to 1.32 g.cm<sup>-3</sup>, 0.1 g to 10 30 g of saccharides in solids and/or aldehydes or their derivatives, 0.1 g to 10 g of sodium and/or potassium bicarbonate and/or at least one hydroxide from the group of alkali metal hydroxides in solids, or else a mixture containing 0.1 g to 10 g of peroxoborate or tetraborate or sodium pyrophosphate in solids and also containing 0.1 g to 20 g, with an advantage 0.5 g to 2 g, of bisodium dinaphtylmethane disulfonic acid salt.

IPC 8 full level

**H01M 10/42** (2006.01); **H01M 10/06** (2006.01); **H01M 10/08** (2006.01); **H01M 10/30** (2006.01); **H01M 10/44** (2006.01); **H01M 10/54** (2006.01)

CPC (source: EP US)

**H01M 10/06** (2013.01 - EP US); **H01M 10/30** (2013.01 - EP US); **H01M 10/4235** (2013.01 - EP US); **H01M 10/44** (2013.01 - EP US); **H01M 10/54** (2013.01 - EP US); **H01M 2300/0011** (2013.01 - EP US); **H01M 2300/0014** (2013.01 - EP US); **Y02E 60/10** (2013.01 - EP US); **Y02W 30/84** (2015.05 - EP US)

Designated contracting state (EPC)

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PL PT RO SE SI SK TR

DOCDB simple family (publication)

**WO 2004082038 A2 20040923**; **WO 2004082038 A3 20051110**; AT E481755 T1 20101015; AU 2004219565 A1 20040923; AU 2004219565 B2 20060713; CA 2518628 A1 20040923; CA 2518628 C 20130514; CN 100511780 C 20090708; CN 1784800 A 20060607; DE 602004029147 D1 20101028; EP 1611626 A2 20060104; EP 1611626 B1 20100915; EP 1611626 B9 20110302; IL 170734 A 20120430; PL 1611626 T3 20110630; RU 2005131966 A 20060710; RU 2320054 C2 20080320; US 2006145664 A1 20060706; US 2009140695 A1 20090604; US 7750603 B2 20100706

DOCDB simple family (application)

**CZ 2004000013 W 20040310**; AT 04718901 T 20040310; AU 2004219565 A 20040310; CA 2518628 A 20040310; CN 200480012655 A 20040310; DE 602004029147 T 20040310; EP 04718901 A 20040310; IL 17073405 A 20050907; PL 04718901 T 20040310; RU 2005131966 A 20040310; US 31808808 A 20081222; US 54846804 A 20040310